Bio-Optics: Design and Application (BODA)

April 4-6 2011, Hyatt Regency Monterey, Monterey, California, United States

Bio-Optics: This topical meeting will focus on design, fabrication, instrumentation, and applications of optical technologies for the life sciences. Topics cover general bio-optics in research and clinical application. Themes include but are not limited to visual optics, eye imaging and sensing, bio-inspired optics, optical biochip, optofluidics, biomedical and drug discovery imaging, biosensors, and other novel optical technologies for diagnosis and treatment. This conference is intended to be a highly interdisciplinary forum of discussion for researchers and engineers from academia and industry to discuss the design and application of bio-optics in life science.

Papers are being considered in the following topic categories:

- Visual optics
- Eye imaging and sensing
- Bio-inspired optics
- o Optical biochip, optofluidics, biosensors
- Biomedical and drug discovery imaging
- Optical technologies for diagnosis and treatment

View the conference program and plan your itinerary for the conference



- o Browse speakers and the agenda of sessions
- Browse sessions by type or day.
- Search by author, title, OCIS code and more.
- o Plan and print your personal itinerary before coming to the conference

General Chairs

Guoqiang Li, *Univ. of Missouri at St Louis, USA* Ronguang Liang, *Carestream Health, USA*

A number of distinguished invited speakers have been invited to present at the meeting.

This event is part of the Optics in Life Sciences Congress, allowing attendees to access to all meetings within the Congress for the price of one and to collaborate on topics of mutual interest.

Optics in the Life Sciences: OSA Optics and Photonics Congress

- Optical Trapping Applications (OTA)
- Novel Techniques in Microscopy (NTM)
- NEW! Bio-Optics: Design and Application (BODA)
- o NEW! Optical Molecular Probes, Imaging, and Drug Delivery (OMP)

Optics in the Life Sciences: OSA Optics and Photonics Congress

April 4-6 2011, Hyatt Regency Monterey, Monterey, CA, USA

Agenda of Session Now Available!

Significant advances in the development of optical techniques have led to an ever increasing role of optics in the study of and treatment of various problems in the life sciences ranging from molecular level investigations to clinical treatment of patients. In this Congress, the latest advances in molecular probe development, life science imaging, novel and more powerful optical instrumentation and its application to study fundamental biological processes and clinical investigations will be presented. This progress in instrumentation development and its rapid application represents important enablers that permit studies not possible a few years ago. The upcoming group of meetings is a forum designed to report on this progress and brings together leaders in the field whose contributions are significantly advancing the state of the art in biological and medical research through the use of optical technologies.

View the conference program and plan your itinerary for the conference



- Browse speakers and the agenda of sessions
- Browse sessions by type or day.
- Search by author, title, OCIS code and more.
- Plan and print your personal itinerary before coming to the conference

The Optics in the Life Sciences congress features the following meetings:

- Optical Trapping Applications (OTA)
- Novel Techniques in Microscopy (NTM)
- NEW! Bio-Optics: Design and Application (BODA)
- o NEW! Optical Molecular Probes, Imaging, and Drug Delivery (OMP)

Be sure to add this exhibit to your marketing calendar. This Congress provides you an audience of over 300 scientists focused on optics in the life sciences. For information about reserving exhibit space, please call +1 202.416.1474 or email exhibitsales@osa.org. Sign up early to maximize your location.

Sponsor:



Bio-Optics: Design and Application (BODA)

April 4-6 2011, Hyatt Regency Monterey, Monterey, California, United States

Program

The Bio-Optics: This topical meeting will focus on design, fabrication, instrumentation, and applications of optical technologies for the life sciences. Topics cover general bio-optics in research and clinical application. Themes include but are not limited to visual optics, eye imaging and sensing, bio-inspired optics, optical biochip, optofluidics, biomedical and drug discovery imaging, biosensors, and other novel optical technologies for diagnosis and treatment. This conference is intended to be a highly interdisciplinary forum of discussion for researchers and engineers from academia and industry to discuss the design and application of bio-optics in life science.

Papers are being considered in the following topic categories:

- Visual optics
- Eye imaging and sensing
- o Bio-inspired optics
- Optical biochip, optofluidics, biosensors
- o Biomedical and drug discovery imaging
- Optical technologies for diagnosis and treatment

A number of distinguished <u>invited speakers</u> have been invited to present at the meeting. In addition, the organizers have planned a number of **special events** to make your meeting experience more enjoyable!

View the conference program and plan your itinerary for the conference



- Browse speakers and the agenda of sessions
- Browse sessions by type or day.
- Search by author, title, OCIS code and more.
- Plan and print your personal itinerary before coming to the conference

Special Events

Welcome Reception Poster Sessions Post Deadline Sessions

For more information about Monterey, please visit the Housing and Travel page.

Optics in the Life Sciences: OSA Optics and Photonics Congress

Exhibit: April 4-6, 2011 at The Hyatt Regency Monterey in Monterey, CA USA

The Optics in Life Sciences: OSA Optics and Photonics Congress provides a forum where speakers present the latest results in the life sciences arena ranging from design and fabrication of bio-optics to the coverage of optical trapping schemes. This Congress is composed of six complimentary co-located meetings dealing with the most recent, high impact advances in the area of optics in life sciences. Approximately 300 Attendees expected:

- o Optical Trapping Applications
- o Novel Techniques in Microscopy
- o Bio-Optics Design and Application
- o Optical Molecular Probes and Imaging

Monterey County highlights everything that's best about California. From seaside restaurants to the Salinas Valley's hillside vineyards, from Big Sur's redwood groves to Pebble Beach's perfectly groomed golf courses, from Salinas' old-fashioned rodeo to Carmel-by-the-Sea's elite music and art festivals, Monterey has a feast of fun just waiting to be sampled.

For More Information about Reserving Exhibit Space at OSA Meetings, please call +1 202.416.1474 or email exhibitsales@osa.org

If you are already an exhibitor and you have questions about shipping, ordering furnishings or services and/or have any other logistically related questions, please call +1 202-416-1972 or topicalexhibits@osa.org.

Optics in the Life Sciences: OSA Optics & Photonics Congress 2011

Bio-Optics: Design and Application (BODA)
Novel Techniques in Microscopy (NTM)
Optical Molecular Probes, Imaging, and Drug Delivery
(OMP)
Optical Trapping Applications (OTA)

4–6 April, 2011 Monterey, CA, USA

Conference Program

Bio-Optics: Design and Application (BODA)
Novel Techniques in Microscopy (NTM)
Optical Molecular Probes, Imaging, and Drug Delivery (OMP)
Optical Trapping Applications (OTA)

4–6 April, 2011 Monterey, CA, USA

Welcome to the 2011 Optics in the Life Sciences: OSA Optics and Photonics Congress! This congress has two veteran topical meetings, Novel Techniques in Microscopy (NTM) and Optical Trapping Applications (OTA) and two new meetings, Bio-Optics: Design and Application (BODA) and Optical Molecular Probes, Imaging, and Drug Delivery (OMP) which promise to be exciting and informative first-ever meetings on these fascinating topics. We hope that bringing together leaders and experts among the different communities to share information and discuss topics across the disciplines of optical science and engineering will provide you with a rich experience in Monterey.

The focus of the BODA meeting is on design, fabrication, instrumentation, and applications of optical technologies for the life sciences. Themes include but are not limited to visual optics, eye imaging and sensing, bio-inspired optics, optical biochip, optofluidics, biomedical and drug discovery imaging, biosensors, and other novel optical technologies for diagnosis and treatment. This meeting is intended to be a highly interdisciplinary forum of discussion for researchers and engineers from academia and industry to discuss the design and application of bio-optics in life science. This inaugural meeting's program boasts 30 well-known invited speakers, 23 contributed speakers and 7 posters.

The NTM Meeting emphasizes new advances and strategies that push back the limits in microscopic imaging, leading to improvements in resolution, speed, depth penetration, versatility, etc., as well as novel modalities and contrast mechanisms. The primary focus is on techniques rather than applications, with the goal of providing a forum for the interaction of inventors in optical microscopy, researchers and students, and industrial participants. NTM's exciting program consists of a total of more than 60 papers, with 13 invited speakers, 40 oral presenters and 8 poster presentations.

As one of the inaugural meetings in the congress, the OMP topical meeting focuses on the optical detection and localization of molecular processes that occur at low concentrations *in vivo*. Topics include experimental and computational approaches for generating adequate contrast between a target and the surrounding tissue, which is essential for accurate disease diagnosis, as well as monitoring drug delivery and treatment response. This meeting will highlight recent advances in this rapidly evolving area of research with a goal of stimulating new ideas toward clinical translation. OMP's exciting program consists of a total of more than 40 papers, with 14 invited speakers, 22 oral presenters and 5 poster presentations.

The OTA topical meeting explores the applications of novel optical trapping and manipulation techniques, including the use of evanescent fields, plasmonics, microfluidics, integrated lab-on-a-chip technologies, parallel optical sorting, innovation in optical methods for cellular biology and the current state of the art in fundamental concepts of optical trapping. During the course of 2 days, we will present an exceptional program with 15 invited speakers, 24 oral presentations and 12 poster presentations demonstrating cutting-edge research and technology.

We all are pleased to have you join us and look forward to your continued participation in these topical meetings.

BODA

Guoqiang Li, *Univ. of Missouri at St Louis, USA*, **General Chair** Ronguang Liang, *Carestream Health, USA*, **General Chair**

NTM

Jerome Mertz, Boston Univ., USA, General Chair Eric Potma, Univ. of California at Irvine, USA, General Chair

OMP

Mary-Ann Mycek, *Univ. of Michigan, USA*, **General Chair** Konstantin Sokolov, *UT M.D. Anderson Cancer Ctr., USA*, **General Chair**

OTA

Carlos Lopez-Mariscal, US Naval Res. Lab., USA, General Chair David McGloin, Univ. of Dundee, UK, General Chair

Sunday, 3 April, 2011		Monday, 4 A	pril, 2011	
	BODA	NTM	OMP	OTA
7.00		7.00-18.30 Registration Ope	en , Regency Foyer South	
8.00	BMA • Adaptive Optics for the Eye	NMA • Superresolution I (starts at 8.15)	OMA • Advances in Instrumentation or Algorithms I	OTMA • Nanomanipulation and Microfluidics
		10.00–10.30 Coffee Bre	eak, Regency Main	
10.00		10.00–16.00 Exhibits O _l	pen, Regency Main	
10.30	BMB • Multi-Modality Optical Imaging	NMB • Superresolution II	OMB • Novel Probes I (ends at 11.15)	OTMB • Fundamental Systems
11.30		11.30–13.30 Lunch Bre	ak (on your own)	
13.30	BMC • Optical Biosensors I	NMC • Nonlinear I	OMC • Clinical / Pre-clinical Applications I	OTMC • Analysis of Biological Systems
15.30		15.30 –16.00 Coffee Bre	ak, Regency Main	
15.00–18.00 Registration Open, Regency Foyer South	BMD • Optical Biosensors II	NMD • Nonlinear II (ends at 17.45)	OMD • Novel Probes II (ends at 17.30)	OTMD • Trapping with Shaped Beams
19.00 20.00	1	9.00–20.00 Conference Recep	tion, Spyglass Promenade	2
20.00		•		

Tuesday, 5 April, 2011			Wednesday, 6 April, 2011		
BODA	NTM	OMP	OTA	BODA	NTM
	7.00–18.00 Registration Op	oen , Regency Foyer South		7.00-15.30 Registration Open, Regence	ry Foyer South
BTuA • Bio-Inspired Optics	NTuA • Imaging Through Tissue	OTuA • Advances in Instrumentation or Algorithms II	OTTuA • Trapping Techniques and Applications I	BWA • Design for Biomedical Optical Imaging	NWA •Endoscopy
	10.00-10.30 Coffee Br	eak, Regency Main		10.00 10.20 Coffee P	made Danner Main
	10.00–16.00 Exhibits C	pen, Regency Main		10.00–10.30 Coffee B	reak, Кедепсу Мат
BTuB • Visual Optics	NTuB • Phase I	OTuB • Clinical / Pre- clinical Applications II	OTTuB • Trapping Techniques and Applications II	BWB • Two-Photon Imaging	NWB • New Techniques
11.30-13.30 Lunch Break (on your own)			11.30–13.30 Lunch B	reak (on your own)	
	13.30–15.30 JTuA • Joint Pos	ter Session, Regency Main		BWC • Spectroscopic Imaging (ends at 3:45pm)	
	15.30 –16.00 Coffee Br	eak, Regency Main			•
BTuC • Biomedical Optical Imaging	NTuC • Phase II	OTuC • Novel Probes III (ends at 17.15)	OTTuC • Trapping Techniques and Applications III		

Key to Agenda
Bio-Optics Design and Application (BODA)
Novel Techniques in Microscopy (NTM)
Optical Molecular Probes, Imaging and Drug Delivery (OMP)
Optical Trapping Applications (OTA)
Joint Sessions

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

OTMA • Nanomanipulation and

Microfluidics

David McGloin; Univ. of Dundee

Sunday, 3 April, 2011 Monday, 4 April, 2011 15.00-18.00 Registration Open, Regency Foyer South 7.00-18.30 Registration Open, Regency Foyer South

BMA • Adaptive Optics for the Eye

Monday, 4 April 8.00-10.00 Presider to Be Announced

BMA1 • 8.00

Invited History and Future of Ophthalmic Adaptive Optics, Pablo Artal; Univ. de Murcia, Spain. Adaptive optics allows the simultaneous measurement and manipulation of the eye's aberrations. Some of the recent history, together with my personal views of the future will be covered in the presentation.

BMA2 • 8.30 Invited

Advanced Optical Techniques for Clinical and Basic Vision Science,

Austin J. Roorda1, Lawrence C. Sincich2, QIang Yang3, David W. Arathorn3, Pavan Tiruveedhula1, William S. Tuten1; 1School of Optometry, Univ. of California at Berkeley, USA; 2Dept of Ophthalmology, Univ. of California at San Francisco, USA; 3Montana State Univ., Bozeman, USA. A system that records microscopic retinal video while delivering ultra-sharp stimuli to targeted retinal locations is described. The precision of the stimulus presentation to living retina enables an unprecedented level of control for vision research.

NMA • Superresolution I

Monday, 4 April 8.15-10.00 Michael Thompson; Stanford Univ., USA, Presider

NMA1 • 8.15

Advances in Super-Resolution Biplane FPALM, STED and 3-D Particle

Tracking Microscopy, Joerg Bewersdorf, Yale Univ.; USA. STED and FPALM microscopy generate super-resolution images at ~25 nm resolution through targeted and stochastic switching of fluorophores. I present recent advances in both techniques and introduce a novel ultra-fast 3D particle-tracking microscope.

OMA2 • 8.30

Simultaneous Morphological and **Biochemical Imaging for Cancer** Diagnosis and Atherosclerotic Plaque Discrimination, Brian E. Applegate; Texas A&M Univ., USA. We have developed a high-speed integrated OCT/FLIM imaging system to acquire morphological and biochemical images. System development and results from recent studies for cancer detection and atherosclerotic plaque discrimination will be discussed.

OMB • Novel Probes I

Monday, 4 April 8.00 - 10.00Mary-Ann Mycek; Univ. of Michigan, USA, Presider

OMA1 • 8.00 Invited

Photoacoustic Tomography: Ultrasonically Breaking through the Optical Diffusion Limit, Lihong Wang; Biomedical Engineering, Washington Univ. in St. Louis, USA. Photoacoustic tomography measures optical absorption through detection of photoacoustic waves. The optical diffusion limit, defined by the transport mean free path, on penetration for highresolution optical imaging is broken.

OTMA1 • 8.00

Monday, 4 April

8.00 - 10.00

Presider

Invited Nanomanipulation Using Near Field Photonics, David Erickson¹; ¹Sibley School of Mechanical and Aerospace Engineering, Cornell Univ., USA. I will present our recent work on the optical trapping and manipulation of nanomaterials using the near-field of integrated photonic devices. I will discuss two application areas namely: single molecule trapping and nanoassembly.

OTMA2 • 8.30

Bowtie Nanoantennas for Plasmonic Optical Trapping, Brian J. Roxworthy^{1,2}, Kaspar D. Ko^{1,2}, Anil Kumar³, Kin Hung Fung², Gang Logan Liu³, Nicholas Fang², Kimani C. Toussaint^{1,2}; ¹Lab. for the Photonics Res. of Bio/nano Environments, Univ. of Illinois at Urbana-Champaign USA; 2Mechanical Science and Engineering, Univ. of Illinois at Urbana-Champaign, USA; 3Electrical and Computer Engineering, Univ. of Illinois at Urbana-Champaign, USA. Plasmonic optical trapping of polystyrene micronsized spheres using Au bowtie nanoantenna arrays is demonstrated. Conventional trapping constraints are greatly reduced, allowing for the use of weak focusing and inexpensive sources (laser pointers).

OTMA3 • 8.45

Heating in Optically Trapped Gold Nanoparticles Measured in Artificial Membranes, Poul M. Bendix¹, Anders Kyrsting¹, Nader Reihani¹, Lene Oddershede1; 1Niels Bohr Inst., Univ. of Copenhagen, Denmark. We have developed lipid based assays which can measure the temperature of any nanoscale irradiated object. As a demonstration we apply this to gold nanoparticles irradiated by focused near infrared laser light.

NMA2 • 8.45 Benchmarking Image Analysis Algorithms for Superresolution

Fluorescence Microscopy, Forrest Hippensteel, Alexander R. Small, California State Polytechnic Univ., USA. We demonstrate a method of benchmarking to identify optimal rejection algorithms for superresolution fluorescence microscopy. Simulations show that a minimum photon count of ~3/4 the mean photon count per molecule yields acceptable performance.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BMA • Adaptive Optics for the Eye–Continued

BMA3 • 9.00 Invited Three-Dimensional Cellular

Resolution in vivo Retinal Imaging,
Robert J. Zawadzki¹, Suman Pilli¹, Dae Yu
Kim¹, Sandra Balderas-Mata¹, Arlie G.
Capps¹, John S. Werner¹; ¹Ophthalmolgy &
Vision Science, Univ. of California at
Davis, USA. Current developments in
cellular resolution in-vivo retinal
imaging systems at the UC Davis will
be presented. Instrumentation
developments include the combination
of adaptive optics with optical
coherence tomography and scanning
laser ophthalmoscopy.

NMA • Superresolution I-Continued

NMA3 • 9.00

Grating-Enhanced Coherent Imaging, Jeffrey P. Wilde¹, Joseph W. Goodman¹, Yonina C. Eldar², Yuzuru Takashima¹; ¹Electrical Engineering, Stanford Univ., USA; ²Electrical Engineering, Israel. We describe a coherent imaging technique that utilizes a diffraction grating placed near the object to alias high spatial frequency information through the imaging system pupil. Linear signal processing is used to reconstruct high-resolution images.

OMB • Novel Probes I- Continued

OMA3 • 9.00

Simultaneous, Dual-Color STORM Imaging of Membrane Reorganization during Early Immune Response, Jesse S. Aaron, Bryan D. Carson¹, Jerilyn Timlin; Bioenergy and Defense Technologies, Sandia Natl. Labs, USA. TLR-4 receptor reorganization in cell membranes was investigated using a novel STORM microscope. The increased resolution permits observation of receptor cluster formation following challenge with chemotypes of lipopolysaccharide.

OTMA • Nanomanipulation and Microfluidics-Continued

OTMA4 • 9.00

Invited

Temperature Measurements of Optically Trapped Gold Nanoshells, Brooke C. Hester¹, Gretchen K. Campbell², Kristian Helmerson3, Ryan Huschka4, Naomi Halas4; 1Physics and Astronomy, Appalachian State Univ., USA; 2Atomic Physics Division, NIST, USA; 3School of Physics, Monash Univ., Australia; 4Depts. of Chemistry and of Electrical and Computer Engineering, Rice Univ., USA. We measure the temperature of an optically trapped gold nanoshell by tracking its Brownian motion. Single nanoshells are found to heat significantly, and this heating varies with trap wavelength and particle number.

OTMA5 • 9.15 Title to be Announced Mich

Title to be Announced, *Michal Lipson; Cornell, USA.* Abstract not available.

NMA4 • 9.15

High-Resolution Total-Internal-Reflection Fluorescence Microscopy Using Periodically Nano-Structured Glass Slides, Emeric Mudry¹, Jules Girard¹, Kamal Belkebir¹, Hugues Giovannini², Patrick C. Chaumet¹, Anne Sentenac¹; ¹Inst. Fresnel, Aix-Marseille Univ., France. Resolution of the Optical fluorescence microscopy is improved up to fourfold thanks to a standingwave structured-illumination, whose illumination field is created by a nanostructured glass slides.

BMA4 • 9.30 Invited

Title to be Announced, *Jennifer Hunter Univ. of Rochester; USA.* Abstract not available

NMA5 • 9.30

Hyperspectral Nanoscale Imaging on Dielectric Substrates with Coaxial Optical Antenna Scan Probes,

Alexander Weber-Bargioni¹, Adam Schwartzberg¹, Matteo Cornaglia¹, Ariel Ismach1, Jeffrey Urban1, YJuanJie Pang2, Reuven Gordon², Jeffrey Bokor¹, Miquel Salmeron¹, Frank Ogletree¹, Stefano Cabrini1, Peter Jim Schuck1; 1Molecular Foundry, Lawrence Berkeley Nat'l. Lab., USA; 2Dept. of Electrical and Computer Engineering, Univ. of Victoria, Canada. We have demonstrated hyperspectral tip-enhanced Raman imaging on dielectric substrates using reproducible nano-fabricated coaxial antenna tips, enabling Raman spectral imaging (chemical mapping) with high resolution (<20nm) shown on CNTs.

OMA4 • 9.30 Whole-Cell Analysis of Cardiomyocytes with Combined Quantitative Phase and Two-Channel

Fluorescence Microscopy, Matthew T.

Rinehart¹, Natan T. Shaked¹, Lisa Satterwhite¹, Adam Wax¹; ¹Biomedical Engineering, Duke Univ.,USA. We have developed a novel microscope combining quantitative phase and fluorescence microscopy to perform quantitative analysis of dynamic cardiomyocyte contraction. Phase-based parameters are informed by molecular specificity of fluorescence images.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

NMA • Superresolution I— Continued

NMA6 • 9.45

Imaging Beyond the Diffraction Limit by Electron-Beam Excited Assisted (EXA) Scanning Optical Microscope, Wataru Inami¹¹³, Yasunori Nawa¹, Akito Chiba³, Atsuo Miyakawa¹³, Yoshimasa Kawata¹³, Susumu Terakawa²³, Atsushi Ono¹³; ¹Shizuoka Univ., Japan; ²Hamamatsu Univ. School of Medicine, Japan; ³CREST, Japan. We propose a new type of scanning optical microscope which has a few tens nanometer spatial resolution laterally and is possible to observe dynamic behaviors of a

specimen in various surroundings.

OMB • Novel Probes I- Continued

OMA5 • 9.45

In vivo Estimation of Functional and Structural Characteristics in Epithelial Neoplasia, George Papoutsoglou¹; ¹Electronic & Computer Engineering, Technical Univ. of Crete, Greece. We have developed a method for estimating functional and structural characteristics in cervical neoplasia based on pharmacokinetic modeling of biomarker-tissue interaction and on the solution of the inverse problem through Global Optimization methods.

OTMA • Nanomanipulation and Microfluidics-Continued

OTMA6 • 9.45

Microfluidic Systems Combined with Optical Micromanipulation and Spectroscopy for Live-cell Analysis and Sorting, Zdenek Pilat, Alexandr Jonas, Ota Samek, Jan Jezek, Mojmir Sery, Pavel Zemanek; Inst. of Scientific Instruments of the ASCR, Czech Republic. We have investigated a combination of optical trapping with microspectroscopic techniques and microfluidic chips for advanced biotechnological applications.

10.00–10.30 Coffee Break, Regency Main 10.00–16.00 Exhibits Open, Regency Main

NOTES

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BMB • Multi-Modality Optical Imaging

Monday, 4 April 10.30-12.30 Presider to Be Announced

BMB1 • 10.30 Invited

Title to be Announced, Joseph Izatt; Duke Univ., USA. Abstract not available.

NMB • Superresolution II

Monday, 4 April 10.30-12.30 Joerg Bewersdorf; Yale Univ., USA, Presider

NMB1 • 10.30

Invited Optical Tracking Microscopy and **Super-Resolution Imaging of Living** Cells Beyond the Diffraction Limit, W. E. Moerner; Stanford Univ., USA. Abstract not available.

OMB • Novel Probes I

Monday, 4 April 10.30-12.15 Konstantin Sokolov; MD Anderson Cancer Center, Univ. of Texas, USA,

OMB1 • 10.30 Invited

Title to be Announced, Rebekah Drezek, Rice Univ., USA. Abstract not available

OTMB • Fundamental Systems

Monday, 4 April 10.30-12.30 Carlos López-Mariscal; NRL, USA, Presider

OTMB1 • 10.30

Optical Trapping and Cooling of Glass Microspheres, Mark G. Raizen1, Tongcang Li1, Simon Kheifets1, David Medellin1; 1Ctr. for Nonlinear Dynamics and Dept. of Physics, Univ. of Texas at Austin, USA. We report optical trapping of glass microspheres in air and vacuum, and measurement of Brownian motion of single microspheres at different pressures. We have also cooled the center of mass in vacuum to 2 mK.

Invited

Invited

BMB2 • 11.00 Invited

Title to be Announced, Gultekin Gulsen; Univ. of California at Irvine, USA. Abstract not available.

NMB2 • 11.00

Three-Dimensional Super-Resolution Imaging with a Corkscrew Point Spread Function, Matthew D. Lew1,2, Steven F. Lee2, W. E. Moerner2; 1Electrical Engineering, Stanford Univ., USA; ²Chemistry, Stanford Univ., USA. We describe the design of a corkscrew point spread function for 3D super-resolution microscopy. To prove the principle, we image fluorescent beads on a patterned PDMS surface, achieving a localization precision of 3 nm in x, 2 nm in y, and 6 nm in z.

Invited OMB2 • 11.00 Preliminary Intravital Microscopic Analysis Reveals Macrophage Uptake

of Circulating Nanotubes and Peptide-Dependent Delivery into Tumor, Bryan R. Smith¹, Harikrishna Rallapalli¹, Jennifer Prescher¹, Cristina Zavaleta¹, Jarrett Rosenberg¹, Scott Tabakman², Hongjie Dai2, Sanjiv S. Gambhir1; ¹Radiology/Bioengineering, Stanford Univ., USA; ²Chemistry, Stanford Univ., USA. Nanoparticle targeting efficiency to tumor is poor and not well-understood. We applied intravital microscopy in a dorsal window chamber model to interrogate vasculature-targeted carbon

nanotubes. We found that nanotubes program circulating macrophages to

enter tumor.

OTMB2 • 11.00

Laser Cooling Optically Trapped Particles, Peter Barker; Univ. of College London, UK. In this talk I will report on the development of two methods to cool optically levitated objects. I will outline both cavity and Doppler cooling techniques and report on progress towards cooling particles in an optical fiber trap.

NMB3 • 11.15 Double-Helix PSF Microscopy with a Phase Mask for Efficient Photon

Collection, Sean Quirin, Ginni Grover, Callie Fiedler, Rafael Piestun; Electrical, Computer and Energy Engineering, Univ. of Colorado, USA. We present the first implementation of double-helix phase masks for 3-D microscopy with high photon collection efficiency. The mask is fabricated using gray-level mask-less lithography. The system demonstrates precise 3-D tracking of quantum dots.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

OTMB • Fundamental Systems-

Continued

BMB • Multi-Modality Optical Imaging-Continued

BMB3 • 11.30

BMB4 • 12.00

Combining Optical Coherence

Imaging: Technology and

Tomography (OCT) and Fluorescence

Applications, Yu Chen; Bioengineering,

Univ. of Maryland, USA. I will present

tomography (OCT) with fluorescence

imaging (including depth-integrated

morphological and molecular imaging.

our efforts on the development of

combining optical coherence

imaging and depth-resolved

tomography) for simultaneous

Invited Fluorescence Lifetime Techniques in Multimodal Tissue Diagnostic Platform, Laura Marcu; Biomedical Engineering, Univ. of California Davis, Davis, USA. We overview fluorescence lifetime techniques for tissue diagnostics and approaches to merging these techniques with ultrasound backscatter microscopy and photoacoustic imaging. Such hybrid system allow for complex tissue characterization at biochemical, morphological, and functional levels.

NMB • Superresolution II-Continued

NMB4 • 11.30

Nanometric Resolution using Far-Field Optical Tomographic Microscopy in the Multiple Scattering Regime, Emeric Mudry¹, Jules Girard¹, Guillaume Maire¹, Kamal Belkebir¹, Patrick C. Chaumet¹, Hugues Giovannini1, Anne Talneau2, Anne Sentenac1; 1Inst. Fresnel, Aix-Marseille Univ., France; 2CNRS, Lab. Photon et Nanostructure, France. Optical Tomographic Microscopy is a technique allowing to reconstruct high-resolution 3-D maps of permittivity. We found an experiment case where multiple scattering leads to image resolution beyond diffraction limit.

NMB5 • 11.45

Polarimetry-Based Far-Field Method for High-Resolution Optical

Microscopy, Oscar Rodriguez¹, David Lara², Chris Dainty¹; ¹Applied Optics, School of Physics, Natl. Univ. of Ireland, Ireland; 2 Blackett Lab., Imperial College London, UK. We present numerical and experimental results of a polarimetrybased far-field method for highresolution optical microscopy. This method may be used to differentiate between a set of different subresolution objects with no need for active scanning.

NMB6 • 12.00

Invited

Resolution Enhancement in Confocal Scanning Microscopy by a Radially Polarized Beam with Phase

Modulation, Yuichi Kozawa, Shunichi Sato; Inst. of Multidisciplinary Research for Advanced Materials, Tohoku Univ., Japan. We evaluate spatial resolution in fluorescence confocal scanning microscopy using a radially polarized beam with concentric phase modulation. The enhancement of lateral resolution is predicted with side-lobe suppression due to a confocal aperture.

OMB3 • 11.30

Plasmonic Gold Nanorods for Depth-Resolved Viscosity in Polarization-Sensitive OCT, Raghav Chhetri1, Krystian Kozek2, Aaron Johnston-Peck2, Joseph Tracy², Amy Oldenburg¹; ¹Physics and Astronomy, Univ. of North Carolina at Chapel Hill, USA; 2Materials Science and Engineering, North Carolina State Univ. USA. We demonstrate depth-resolved viscosity via polarized scattering from ensembles of tumbling plasmonresonant gold nanorods (GNRs) monitored with polarization-sensitive OCT. This has potential for in vivo microrheology imaging of fluids such as mucus.

OMB4 • 11.45

Two-Photon Fluorescence Imaging with a Tumor Penetrating Bioconjugate, Ciceron Yanez¹, Alma R. Morales¹, Takeo Urakami², Masanobu Komatsu², Kevin D. Belfield¹; ¹Dept. of Chemistry, Univ. of Central Florida, USA; ²Sanford-Burnham Medical Res. Inst. at Lake Nona, USA.

OMB • Novel Probes I-Continued

OTMB3 • 11.30

Invited

Sensitive Force-Detection with Optically-Levitated Microspheres in Vacuum, Andrew A. Geraci^{1,2}, Scott B. Papp¹, John Kitching¹; ¹NIST, USA; ²Physics, Univ. of Nevada, USA. Optically levitated and cooled dielectric microspheres in vacuum show great promise as resonant force detectors with an expected sub-attonewton sensitivity. Hence, they can be used to investigate Casimir forces or for testing non-Newtonian gravity.

OMB5 • 12.00

Two-Photon Fluorescence Vascular Imaging with a New Fluorene-RGD Peptide Conjugate, Alma R. Morales¹, Ciceron O. Yanez¹, Takeo Urakami³, Masanobu Komatsu³, Kevin D. Belfield¹,2; ¹Chemistry, Univ. of Florida, USA; ²CREOL, College of Optics and Photonics, Univ. of Central Florida, USA; 3Sanford-Burnham Medical Res. Inst. at Lake Nona, USA. Two-photon fluorescence microscopy is a powerful tool in the study of living cells, and tissue microvasculature. Herein, a 2PFM was conducted to evaluate the efficiency of a new 2PA conjugate designed to target $\alpha v \beta 3$ integrins.

OTMB4 • 12.00

Momentum Transfer by the Emission of Raman and Fluorescence Photons Detected by an Optically Trapped Probe, Dmitri Petrov^{1,2}; ¹ICFO - Inst. of Photonic Sciences, Spain; 2ICREA, Spain. The momentum transfer to a scatterer from Raman (fluorescence) photons was detected using an optical system that permits one to simultaneously measure the radiation forces exerted on, and the emission from the scatterer.

10

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

NMB • Superresolution II– Continued

NMB7 • 12.15

Isotropic Diffraction-Limited Focusing Using a Single Lens, Emeric Mudry, Eric Le Moal, Patrick Ferrand, Anne Sentenac; Inst. Fresnel, France. Using the time reversal concept, we show that isotropic focusing can be realized by placing a mirror after the focal point and shaping the incident beam. This idea is applied to axial resolution improvement in confocal microscopy.

12.30–13.30 Lunch Break (on your own)

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BMC • Optical Biosensors I

Monday, 4 April 13.30–15.30 Presider to Be Announced

BMC1 • 13.30

Optofluidic Nano-Plasmonics for Biosensing, Yeshaiahu Fainman; Univ. of California at San Diego, USA. We explore metal-dielectric nano-plasmonic structures for localization and resonant transmission of optical fields, investigate fabrication and integration of optofluidic nano-plasmonic systems and explore their applications for biochemical sensing.

NMC•Nonlinear I

Monday, 4 April 13.30–15.30

Eric Potma; Univ. of California at Irvine, USA, Presider

NMC1 • 13.30

Invited

Nonlinear Coherent Optical Imaging by Stimulated Radiation Microscopy, Wei Min, Columbia Univ., USA. The emerging stimulated radiation microscopy, including stimulated Raman scattering and stimulated emission, provides distinct and powerful image contrasts for nonfluorescent species. Here we present its principles and biomedical applications.

OMC • Clinical/Pre-clinical Applications I

Monday, 4 April 13.30–15.30

Lihong Wang; Washington Univ. in St. Louis, USA, Presider

OMC1 • 13.30

Optical Redox Imaging of Endogenous Contrast for Tissue-Engineered

Construct Viability, Leng-Chun Chen¹, William Lloyd¹, Malavika Chandra¹, Kenji Izumi², Shiuhyang Kuo², Cynthia Marcelo², Stephen Feinberg², Mary-Ann Mycek¹; ¹Dept. of Biomedical Engineering, Univ. of Michigan, USA; ²Dept. of Oral and Maxillofacial Surgery, Univ. of Michigan, USA. Endogenous fluorescence redox imaging was developed to noninvasively assess cell viability in 3-dimensional tissue-engineered constructs prior to implantation. A lower redox ratio was observed from samples with higher proliferation.

OMC2 • 1:45 p.m.

Multiwavelength Time-Resolved Measurement of Diffuse Reflectance for Brain Oxygenation Assessment during Hypoxic Challenge Test, Anna Gerega1, Wojciech Weigl2, Daniel Milej1, Piotr Sawosz1, Ewa Mayzner-Zawadzka2, Roman Maniewski1, Adam Liebert1; 1Inst. of Biocybernetics and Biomedical Engineering, Poland; 2Dept. of Anesthesiology and Intensive Care, Medical Univ. of Warsaw, Poland. Multi-wavelength measurement of time-resolved reflectance signal on the surface of the human head was carried out. The changes of oxy- and deoxyhemoglobin concentration were obtained at 14 wavelengths during controlled hypoxic challenge test.

OTMC • Analysis of Biological Systems

Monday, 4 April 13.30–15.30

Mike MacDonald; Univ. Dundee, UK,

Presider

OTMC1 • 13.30 Invited

Title to Be Announced, *Gijs Wuite; Virje Univ., Amsterdam.* Abstract not available.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

OTMC • Analysis of Biological

Systems-Contributed

BMC • Optical Biosensors I— Contributed

BMC2 • 14.00

BMC3 • 14.15

Surface Plasmon Resonance Optical Fiber Biosensor for Label-Free Characterization of Biomolecular Interactions, Yanina Shevchenko, Tariq Francis, Maria DeRosa, Jacques Albert; Carleton Univ., Canada. A fiber sensor was applied to monitor the interaction of biomolecules. Results indicate that the biosensor can be successfully applied for a wide range of biomolecular characterizations including identification of the biomolecules' binding constants.

The Effect of Nano Grating Shapes on the Sensitivity of Guided Mode Resonance Protein Sensor Fabricated by Nano Injection Molding Process, Eikhyun Cho¹, Youra Heo¹, Myungki Jung¹, Jiseok Lim¹, Seokmin Kim², Shinill Kang¹;

Eikhyun Cho¹, Youra Heo¹, Myungki Jung¹, Jiseok Lim¹, Seokmin Kim², Shinill Kang¹; ¹Mechanical Engineering, Yonsei Univ., Republic of Korea; ²Mechanical Engineering, Chung-Ang Univ., Republic of Korea. We investigated the effect of nano grating shapes on the sensitivity of nano injection molded guided-moderesonance protein sensor. To confirm the profile effects, we performed design, fabrication and performance evaluation.

BMC4 • 14.30 Photonic Crystal Enhanced Microscopy: Multimode Imaging for Photonic Crystal Biosensors, Vikram

Chaudhery¹, Erich Lidstone², Sherine
George², Cheng-Sheng Huang¹, Anja Kohl²,
Patrick Mathias², Brian Cunningham¹²;
¹Electrical and Computer Engineering,
Univ. of Illinois Urbana-Champaign, USA;
²Bioengineering, Univ. of Illinois Urbana-Champaign, USA. Photonic Crystal
Enhanced Microscopy (PCEM) utilizes
the optical resonances of photonic
crystal surfaces for label-free biosensor
imaging and amplification of
fluorescence. We describe the
application of PCEM to biomolecular
and cell-based assays.

NMC • Nonlinear I-Continued

NMC2 • 14.00

Picosecond CARS Spectral Imaging with Principal Component Analysis, Jeffrey L. Suhalim^{1,2}, Ryan S. Lim¹, Moshe Levi4, Bruce J. Tromberg1,2, Eric Potma1,3; ¹Beckman Laser Inst. and Medical Clinic, Univ. of California at Irvine, USA; ²Department of Biomedical Engineering, Univ. of California at Irvine, USA; 3Dept. of Chemistry, Univ. of California at Irvine, USA; 4Division of Renal Diseases and Hypertension, Univ. of Colorado, USA. We demonstrate the utility of picosecond spectral coherent anti-Stokes Raman scattering imaging with principal component analysis to rapidly map lipophilic components in cardiovascular tissues, facilitating the interrogation of atherosclerosis.

NMC3 • 14.15

Wavelength-Swept Coherent Anti-Stokes Raman Scattering Spectroscopy System for Hyperspectral Imaging, Steve Begin^{1,2}, Bryan Burgoyne³, Alain Villeneuve3, Vincent Mercier3, Réal Vallée2, Daniel Cote^{1,2}; ¹Centre de Recherche Univ. Laval Robert-Giffard (CRULRG), Univ. Laval, Canada; 2Centre d'Optique, Photonique et Laser (COPL), Univ. Laval, Canada; 3Genia Photonics Inc., Lasalle, Canada. We present hyper spectral imaging in the high wavenumber region of thick tissue samples made possible by a wavelength-swept CARS spectroscopy system where the Raman lines are excited sequentially at rates of

up to 50,000 wavenumber per seconds.

NMC4 • 14.30

Enhancing Resolution and Contrast in Coherent Raman Microscopy: Towards Superresolution Chemical Imaging, Stephan Stranick¹, Hyun Min Kim^{1,2}; ¹NIST, USA; ²Joint Qunatum Inst., Univ. of Maryland, USA. We will detail our efforts to extend the contrast and resolution of coherent Raman scattering microscopy through the combination of spatial light modulator generated, annular-phase masks and the two color nature of Coherent Raman scattering.

OMC • Clinical/Pre-clinical Applications I-Continued

OMC3 • 14.00

Optical Monitoring of Tracers and Mitoxantrone in Rabbit Brain and the Variability in Blood-Brain Barrier Disruption, Aysegul Ergin¹, Mei Wang², Shailendra Joshi², Irving J. Bigio¹; Department of Biomedical Engineering, Boston Univ., USA; 2Dept. of Anesthesiology, College of Physicians and Surgeons of Columbia Univ., USA. Intraarterial mannitol is the main method to disrupt blood-brain barrier. The data collected using optical pharmacokinetics revealed variation in disruption in rabbits. Optical monitoring could help better understand the drug pharmacokinetics.

OMC4 • 14.15

Time-Resolved Fluorescence Spectroscopy of the Bile Duct for Image-Guided Cancer Diagnosis, Javier A. Jo¹, Javier A. Jo¹, Matthew W. Miller², Eric J. Seibel3; 1Biomedical Engineering, Texas A&M Univ., USA; 2Veterinary Medicine, Texas A&M Univ., USA; 3Mechanical Engineering, Univ. of Washington, USA. An ultra thin (1.2-1.6 mm diameter) scanning fiber endoscope, capable of video-rate highresolution imaging of the bile duct, will be used as a "guidewire-with-eyes" to guide time-resolved fluorescence spectroscopy of the duct for cancer diagnosis.

OMC1 • 14.30 Invited

Title to be Announced, Stanislav Emelianov; Univ. of Texas at Austin, USA. Abstract not available.

OTMC2 • 14.00

Multi-trap Raman Tweezers Integrated with Phase Contrast and Fluorescence Microscopy for Monitoring Biological Dynamics of Individual Cells, Pengfei Zhang¹, Lingbo Kong¹, Yong-qing Li¹; ¹East Carolina Univ., USA. We report the development of a multiple-trap Raman tweezers array integrated with phase contrast and fluorescence microscopy for simultaneously acquiring Raman spectra, refractility, and fluorescence images of multiple individual cells.

OTMC3 • 14.15

Surface Scanning with Optically Trapped Probes, Lars Friedrich¹, Alexander Rohrbach¹; ¹Microsystems Technology, Univ. of Freiburg, Germany. Optically trapped beads with diameters below 500 nm are scanned across surface structures. The elongation of the probe from the trap center is measured interferometrically and the height profile of the sample is recovered.

OTMC4 • 14.30 Invited

Title to be Announced, *Pietro Cicuta*; *Cambridge Univ.*, *UK*. Abstract not available.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BMC • Optical Biosensors I— Contributed

BMC5 • 14.45
Mode Splitting in Whispering-Gallery-Mode Microresonators in Aquatic Environment, Woosung Kim¹, Sahin K. Ozdemir¹, Jiangang Zhu¹, Lina He¹, Lan Yang¹; ¹Electrical Engineering, Washington Univ., St.Louis, USA. We demonstrate scatterer-induced mode splitting in Whispering-Gallery-Mode resonators as a new sensing scheme in water. It is used to achieve detecting polystyrene particles of radii 50nm with a similar size as influenza A virus.

BMC6 • 15.00

Study of the Dynamics of Protein Aggregation with a Bloch Surface Wave Sensor, Vincent Paeder¹, Valeria Musi¹, Hans Peter Herzig¹; ¹EPFL, Switzerland. We present a study of the dynamics of protein aggregation using an interferometric Bloch surface wave sensing scheme. We demonstrate the ability to detect, during thermal incubation, the aggregation of proteins related to conformational diseases.

BMC7 • 15.15

Screening Small Molecule
Compounds for Protein Ligands with
Label-Free, Optically Detected
Microarrays, Xiangdong Zhu¹; ¹Physics,
Univ. of California at Davis, USA. We
developed an optical scanner for labelfree screening small molecule
compounds in microarray format for
protein ligands. It has a detection
throughput of 12,000 compounds per
slide and thus promises screening
100,000 compounds daily.

NIME N. I. C. C.

NMC • Nonlinear I–Continued

OMC • Clinical/Pre-clinical Applications I–Continued

OTMC • Analysis of Biological Systems-Contributed

NMC5 • 15.00

Remote Focusing Differential Multiphoton Microscopy: Application to Neuronal Imaging, Erich E. Hoover¹, Michael D. Young¹, Susy M. Kim², Eric V. Chandler¹, Jeffrey J. Field¹, Dawn N. Vitek¹, Kraig E. Sheetz3, Jing W. Wang2, Jeff A. Squier1; 1Physics, Colorado School of Mines, USA; 2Biological Sciences, Univ. of California at San Diego, USA; 3Physics and Nuclear Engineering, United States Military Academy, USA. We apply remote focusing to multi-focal multiphoton microscopy by simultaneously imaging multiple focal planes of Drosophila melanogaster olfactory neurons. This technology permits imaging the entire volume of the antennal lobe in a single scan.

NMC6 • 15.15

Laser Microsurgery for Two-Photon Imaging in Fruit Flies, Supriyo Sinha¹, Liang Liang¹, Eric Ho¹, Liqun Luo¹², Tom Baer¹, Mark Schnitzer¹²; ¹Stanford Univ., USA; ²Howard Hughes Medical Inst., USA. We demonstrate precise, minimally invasive, laser microsurgery of the fruit fly cuticle for in vivo brain imaging. Following surgery, flies behave normally, as determined by their phototaxis. We recorded odorevoked calcium transients with 60.

OMC2 • 15.00

Translational Advances in Reflectance Confocal Microscopy of Skin Cancer: Machine Learning-Based Image Classification, and Tumor Mapping in Shave Biopsy Wounds, Milind Rajadhyaksha; Dermatology Service, Memorial Sloan-Kettering Cancer Ctr., USA. Translational advances in reflectance confocal microscopy of skin cancers include automated methods to localize the dermo-epidermal junction, and imaging of residual tumor with a contrast agent in shave biopsy wounds toward intra-operative mapping.

OTMC5 • 15.00

The Electrostatic Corral: Trapping Single DNA Molecules in Solution, Jorg C. Woehl, Christine A. Carlson; Chemistry and Biochemistry, Univ. of Wisconsin-Milwaukee, USA. In this contribution, we will discuss a novel and elegant approach for the trapping and manipulation of single biomolecules and other particles over extended periods of time free in solution: the electrostatic corral.

OTMC6 • 15.15

Concentration-Independent
Modulation of Local Micromechanics
in a Fibrin Clot, Elliot L. Botvinick^{1,2};

¹Beckman Laser Inst., Univ. California
Irvine, USA; ²Dept. of Biomedical
Engineering, Univ. of California at Irvine,
USA. Optical tweezers active
microrheology (AMR) probes
microdomain mechanical properties in
3-D engineered tissues. The application
of a nonuniform strain field setups up
distributed stiffness, measured by
AMR, which yields differential cell
phenotypes.

15.30 -16.00 Coffee Break, Regency Main

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BMD • Optical Biosensors II

Monday, 4 April 16.00–18.00 Presider to Be Announced

BMD2 • 16.30

Continuous Oxygen Measurements in

Bio-media Using Metal-Halide Cluster

quenching of the phosphorescence from

MoCl clusters is presented. Real-time

measurements for four hours over a

physiologically relevant PO2 range

show no evidence of photobleaching.

Phosphorescence, Ruby Ghosh, Reza

Loloee; Physics, Michigan State Univ.,

USA. A dissolved oxygen sensor for

biological media using the 3O₂

BMD1 • 16.00 Invite

Title to be Announced, Lan Yang; Washington Univ. in St. Louis, USA. Abstract not available.

NMD • Nonlinear II

Monday, 4 April 16.00–17.45 Wei Min; Columbia Univ., USA, Presider

NMD1 • 16.00

In situ Measurement of Sarcomere
Length in Cardiac Myocytes Using a
Two-Photon Microscope with NearIsotropic Scan Rate, Alex D. Corbett¹, Gil
Bub², Tony Wilson¹; ¹Engineering Science,
Univ. of Oxford, UK; ²Physiology,
Anatomy and Genetics, Univ. of Oxford,
UK. Images are presented showing
sarcomere spacing within a living
rodent heart. To uniquely identify the
sarcomere spacing, two 2-D sections,
angularly offset from each other, were
sampled at high frame rate.

NMD2 • 16.15

Nonlinear Optical Imaging with Sub-8fs Laser Pulses, Dmitry Pestov¹, Bingwei Xu¹, Haowen Li², Marcos Dantus^{2,1}; ¹Biophotonic Solutions Inc, USA; ²Chemistry, Michigan State Univ., USA. Broadband Ti:Sapphire oscillator output, guided through a pulse shaper, is compressed down to sub-8fs at the focus of a high-NA microscope objective. The compression is verified in situ by interferometric autocorrelation, and images were obtained.

NMD3 • 16.30

Nonlinear Phase Contrast Imaging in Neuronal Tissue, Prathyush Samineni¹, Martin Fischer¹, Henry C. Liu¹, Ryohei Yasuda², Warren S. Warren³; ¹Chemistry, Duke Univ., Durham, USA; ²Neurobiology, Duke Univ., USA; ³Chemistry, Radiology and Biomedical Engineering, Duke Univ., USA. We demonstrate nonlinear phase contrast imaging in highly scattering media using rapid femtosecond pulse shaping of mode-locked laser pulses. We will also discuss potential applications of this technique for intrinsic functional neuronal imaging.

OMD • Novel Probes II

Monday, 4 April 16.00–17.30 Rebekah Drezek; Rice Univ., USA, Presider

OMD1 • 16.00

Luminescent Nanodiamonds for Intracellular Imaging, Andrei V.
Zvyagin¹, Varun K. Sreenivasan¹, Timothy A. Kelf¹, Sergey M. Deyev²; ¹Physics and Astronomy, Macquarie Univ., Australia; ²Shemyakin and Ovchinnikov Inst. of Bioorganic Chemistry, Russian Federation.
Advances in production of single-digit luminescent nanodiamonds are reported. We report a versatile bioconjugation protocol to dock biomolecules on the colloidal diamond leading to demonstration of nonspecific and specific internalisations in cells.

OTMD • Trapping with Shaped Beams

Monday, 4 April 16.00–18.00 Presider to Be Announced

OTMD1 • 16.00

Micro- and Nanoparticle Optical
Trapping Using Cylindrical Vector
Beams, Phil Jones¹, Susan Skelton¹, Marios
Sergides¹, Agata Pawlikowska¹², Onofrio
Marago³, ¹Physics and Astronomy, Univ. of
College London, UK; ²Natl. Physical Lab.,
UK; ²CNR-Inst. per i Processi ChimicoFisici, Italy. We report on the optical
trapping of a number of micro- and
nanoparticles using beams with a nonuniform state of polarization and show
how geometry of the trap can be shaped
by the polarization state.

OMD2 • 16.30

Ultrasound-Quenchable Fluorescent Contrast Agent: Experimental Demonstration, Michael J. Benchimol¹, Mark J. Hsu², Carolyn E. Schutt¹, Sadik C. Esener¹; ¹]acobs School of Engineering, Univ. of California at San Diego, USA; ²Ziva Corp., USA. We have developed a novel contrast agent for deep tissue imaging. Ultrasound control of fluorescence emission can overcome the resolution limitations of optical tissue scattering. Fluorescence modulation was detected in an acousto-fluorescence setup.

OTMD2 • 16.30

3-D Parallel Particle Tracking of Optically Trapped Particles, Donald B. Conkey¹, Rahul P. Trivedi², Prassanna Pavani¹, Ivan I. Smalyukh², Rafael Piestun¹², ¹Electrical and Computer Engineering, Univ. of Colorado at Boulder, USA; ²Physics, Univ. of Colorado at Boulder, USA. We integrate a holographic optical tweezer system with a double-helix point spread function imaging for high precision three-dimensional (3-D) multi-particle tracking. We perform precise quantitative estimates of the 3-D forces in an optical trap.

Engineered Point Spread Functions for

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BMD • Optical Biosensors II– Contributed

BMD3 • 16.45

A Novel Monte Carlo Approach for Diagnostic Fiber Optic Probe Design, Adam R. Gardner^{1,2}, Carole Hayakawa^{1,2}, Jerome Spanier², Vasan Venugopalan^{1,2}; ¹Chemical Engineering and Materials Science, Univ. of California at Irvine, USA; ²Laser Microbeam and Medical Program, Beckman Laser Inst., Univ. of California at Irvine, USA. A radiative transport method based on efficient coupled forward-adjoint Monte Carlo simulations is used for the analysis of diagnostic fiber optic probes. Results are shown for various probe geometries

NMD • Nonlinear II-Contributed

NMD4 • 16.45 Beyond Pathology: Pump-Probe Imaging of Skin Slices Provides Additional Indicators of Melanoma,

Mary Jane Simpson¹, Thomas Matthews¹, Angelica Selim², Ivan Piletic¹, Warren S. Warren¹; ¹Chemistry, Duke Univ., USA; ²Pathology, Duke Univ. Medical Center, USA. Principal component analysis of images taken with a pump-probe scanning microscope resolves eumelanin and pheomelanin. Utilizing intrinsic melanin contrast in skin slices has revealed significant differences between melanoma and other lesions.

OMD • Novel Probes II– Contributed

OMD3 • 16.45

Folate Receptor-targeted Aggregationenhanced Emission Silica Nanoprobe for One-photon in vivo and Twophoton ex vivo Fluorescence Bioimaging, Xuhua Wang¹, Alma R. Morales1, Takeo Urakami2, Masanobu Komatsu2, Kevin D. Belfield1; 1Dept. of Chemistry, Univ. of Central Florida, USA; ²Sanford-Burnham Inst. for Medical Res. at Lake Nona, USA. A two-photon absorbing, aggregation-enhanced near infrared emission and folic acid conjugated silica nanoprobe was investigated for FRs targeting onephoton in vivo imaging and twophoton ex vivo imaging by employing nude mice bearing HeLa tumors.

OTMD • Trapping with Shaped Beams–Contributed

OTMD3 • 16.45

Mapping of the Optical Field of a Focused Cylindrical Vector Beam by Trapped Rayleigh Particles, Liangcheng Zhou², Qiwen Zhan², Daniel Ou-Yang²; ¹Physics, Lehigh Univ., USA; ²Electro-Optics Graduate Program, Univ. of Dayton, USA. We propose a noninvasive method of mapping the optical field of a tightly focused laser beam by imaging transiently trapped nanoparticles. Optical field intensities are calculated from known trapping energy of the probe particles.

BTuC4 • 17.00 Invited

within a layered tissue model.

Cataract Surgery with OCT-guided Femtosecond Laser, Daniel Palanker¹, Georg Schuele2, Neil Friedman1, Dan Andersen2, William Culbertson3; ¹Ophthalmology, Stanford Univ., USA; ²OptiMedica Corp., USA; ³Bascom Palmer Eye Inst., USA. About a third of people in the developed world will undergo cataract surgery in their lifetime. Currently, cataract surgery is a manual procedure highly dependent on the surgical skills and complicating factors. We developed and tested an imageguided laser system to improve the precision and reproducibility of cataract surgery. A long-range Optical Coherence Tomography automatically discerns the anterior and posterior surfaces of the lens and cornea, and a co-registered femtosecond laser then performs capsulotomy, lens segmentation and corneal incisions.

NMD5 • 17.00 Development of Multi-Photon Coherence Domain Molecular

Imaging, Brian E. Applegate¹, Qiujie Wan¹, Nilanthi Warnasooriya¹; ¹Biomedical Engineering, Texas A&M Univ., USA. We have recently developed a high-resolution molecular imaging technique by fusing pump-probe spectroscopy and optical coherence microscopy. Basic concepts and progress toward improving imaging speed and spectral resolution will be discussed.

OMD4 • 17.00

Two-photon Absorbing Fluorene
Derivatives with Efficient Stimulated
Emission Depletion (STED) for
Bioimaging, Kevin D. Belfield², Mykhailo
V. Bondar¹², Alma R. Morales², Olga V.
Przhonska¹, Xuhua Wang²; ¹Inst. of
Physics, Ukraine; ²Dept. of Chemistry,
Univ. of Central Florida, USA. Stimulated
emission depletion (STED) is emerging
as an important photophysical process
for superresolution microscopy. We
report a new STED probe, its
photophysical characterization, and
potential use in bioimaging.

OTMD4 • 17.00

Invited

Holographic Optical Traps and Spectroscopic Detection for Probing Cellular Releasates, Daniel R. Burnham¹, Thomas Schneider¹, Daniel T. Chiu¹; ¹Dept. of Chemistry, Univ. of Washington, USA. We will discuss the implementation and considerations for combining holographic optical tweezers with spatially resolved spectroscopic detection in order to visualize chemical communication between cells.

NMD6 • 17.15

Multiphoton Photothermal Imaging in Scattering Samples, Michael Durst¹, Jerome Mertz¹; ¹Dept. of BME, Boston Univ., USA. We present multiphoton photothermal imaging of nonfluorescent, absorbing structures in scattering samples. Wide-field LED probe illumination is collected and descanned through a confocal pinhole. Nanoparticle and brain-slice imaging are presented.

OMD5 • 17.15

Near-Infrared Emitting Squaraine Dyes for Multiphoton Fluorescence Imaging with High 2PA Cross Sections, Hyo-Yang Ahn¹, Sheng Yao¹, Xuhua Wang³, Kevin D. Belfield¹; ¹Chemistry, Univ. of Central Florida, USA. New near-infrared squaraine probe SQ-X (1), and squaraine dye, SQ44OH (2), were investigated for their photochemical properties and cytotoxicity. In vitro one-photon and two-photon fluorescence microscopy imaging was demonstrated.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BMD • Optical Biosensors II– Contributed

BTuC5 • 17.30 Invited
Intrinsic Optical Signal Imaging of
Stimulus-Evoked Neural Activities in
the Retina, Xincheng Yao, Yangguo Li,
Yichao Li, Qiuxiang Zhang; Univ. of
Alabama at Birmingham, USA. Intrinsic
optical signal (IOS) imaging and
electrophysiological recording were
used to detect retinal neural activities.
IOS imaging allowed dynamic
monitoring of visual signal propagation
from the photoreceptor to inner retinal

NMD • Nonlinear II-Contributed

NMD7 • 17.30
Temperature Distribution in Red Blood Cells Using Photothermal Imaging Integrated with Digital Holography, George Chen¹, Srivathsan Vasudevan², Beng Koon Ng²; ¹BC Photonics Technological Co, Canada; ²School of EEE, Nanyang Technological Univ., Singapore. Integration of digital holographic microscope with photothermal microscope is proposed. Besides obtaining 3-D images, temperature distribution of red blood cells can be obtained, aiding real-time monitoring of biological assays.

OMD • Novel Probes II– Contributed

OTMD • Trapping with Shaped Beams–Contributed

OTMD5 • 17.30 Polarization Dependent Forces in Optical Vortex Pipeline, Niko Eckerskorn¹, Wieslaw Krolikowski¹, Vladlen Shvedov¹, Andrei Rode¹; ¹Australian Natl. Univ., Australia. We study both,

Shvedov¹, Andrei Rode¹; ¹Australian Natl. Univ., Australia. We study both, theoretically and in experiments, the dependence of optical forces acting on a spherical particle guided in air with an optical vortex beam, on the light polarization state, and discuss potential applications.

OTMD6 • 17.45

Loading Aerosol Optical Traps using Surface Acoustic Wave Devices, David McGloin¹, Suman Anand¹, Jonathan Nylk¹, Calvin Dodds¹, Steve L. Neale², Jonathan Cooper²; 'Electronic Engineering and Physics, Univ. of Dundee, UK; 'Dept. of Electronics, Univ. of Glasgow, UK. We make use of surface acoustic wave nebulization to introduce airborne particles into optical traps in a robust and repeatable manner. We demonstrate the facile loading of aerosols such as organic liquids and solid particles.

19.00-Welcome Reception, Spyglass Promenade

NOTES

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

Tuesday, 5 April, 2011

7.30–18.00 Registration Open, Regency Foyer South

BTuA • Bio-Inspired Optics

Tuesday, 5 April 8.00-10.00Presider to Be Announced

BTuA1 • 8.00 Invited

Medical Imaging Systems Using Bio-Inspired Fluidic Lenses, Yuhwa Lo, Frank Tsai, Ashkan Arianpour; ECE, Univ. of California at San Diego, USA. We discuss fluidic lens imaging systems for minimally invasive and image-guided cancer surgery. The system offers many unique capabilities such as optical zoom, macro and microscopic functions, high sensitivity, hyper spectral imaging, etc.

BTuA2 • 8.30 Title to be Announced, Tony Wilson;

Univ. of Oxford; UK. Abstract not available.

NTuA • Imaging Through Tissue

Tuesday, 5 April 8.00 - 10.00Eric Potma; Univ. of California at Irvine, USA, Presider

NT11A1 • 8.00

Optical Methods for Imaging of Cerebral Hemodynamics, Andrew Dunn; Univ. of Texas at Austin, USA. Abstract not available.

OTuA • Advances in Instrumentation or Algorithms II

Tuesday, 5 April 8.00-10.00 Milind Rajadhyaksha; Memorial Sloan Kettering Cancer Ctr., USA, Presider

OTnA1 • 8.00

Invited

Title to Be Announced, Vasilis Ntziachristos; Germany. Abstract not available.

Invited

OTTuA • Trapping Techniques and Applications I

Tuesday, 5 April 8.00-10.00Steve Neale, Univ. Glasgow, UK, Presider

OTTuA1 • 8.00

Invited Optical Sculpting: Trapping through Disorder, Kishan Dholakia: USA Abstract not available.

NTuA2 • 8.30

Towards Deep Tissue Imaging By Time-Reversal Optical Phase Conjugation Techniques, Changhuei Yang; California Inst. of Technology, USA. Towards deep tissue imaging by timereversal optical phase conjugation techniques.

OTuA2 • 8.30

Fluorescence Lifetime Imaging for Cell Biology, Drug Discovery and Label-Free Diagnosis, Paul French1; ¹Physics, Imperial College London, UK. I will present FLIM technology to read out biomolecular interactions across the scales from labeled proteins in solution and in cells through automated plate readers to imaging disease models and endoscopic diagnosis using autofluorescence.

OTTuA2 • 8.30

Improving Spot Uniformity in Holographic Optical Tweezers, Martin Persson¹, David Engström¹, Jörgen Bengtsson², Mattias Goksör¹; ¹Physics, Univ. of Gothenburg, Sweden; ²Microtechnology and Nanoscience, Chalmers Univ. of Technology, Sweden. We have developed a method for compensating for crosstalk between adjacent pixels in liquid crystal based spatial light modulators. The method decreases the uniformity error of the trap intensities in holographic optical tweezers (HOT) systems.

OTTuA3 • 8.45

Integrated Instrument for Holographic Optical Trapping and Multicolor Holographic Video Microscopy, Bhaskar Jyoti Krishnatreya¹, David G. Grier1; 1Dept. of Physics and Ctr. for Soft Matter Res., New York Univ., USA. We designed and constructed an integrated holographic materials characterization and processing workstation that combines dynamical holographic optical trapping and multicolor holographic video microscopy with enhanced efficiency and adaptability.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BTuA • Bio-Inspired Optics-Continued

BTuA3 • 9.00
Design of a Parallel 3-D Confocal
Imaging System with Adaptive
Objective Lens, Guoqiang Li, Xiao Fang,
Dongxue Zhao; Univ. of Missouri at St.
Louis, USA. A nontranslational 3-D
confocal imaging system using an
adaptive objective lens for depth
scanning over a 1mm range and a
MEMS mirror array for parallel
transverse sampling has been designed
with a 2um transverse resolution

NTuA • Imaging Through Tissue– Continued

NTuA3 • 9.00 Invited Imaging Through an Opaque Material, Sylvain Gigan, Sébastien M. Popoff, Geoffroy Lerosey, Rémi Carminati, Mathias Fink, Albert C. Boccara; Inst. Langevin, ESPCI ParisTech, France. We introduce a method to measure the transmission matrix of a complex medium in optics, thanks to a spatial light modulator. Using this matrix, we demonstrate experimentally light focusing and imaging through an opaque medium.

OTuA • Advances in Instrumentation or Algorithms II– Continued

OTuA3 • 9.00 Invited Photothermal Optical Coherence Tomography for Molecular Imaging, Melissa Skala^{1,2}, Matthew Crow², Adam Wax2, Joseph Izatt2; 1Biomedical Engineering, Vanderbilt Univ., USA; ²Biomedical Engineering, Duke Univ., USA. Molecular imaging using Photothermal Optical Coherence Tomography (OCT) was demonstrated with antibody-conjugated gold nanoparticles in phantoms and tissue constructs. Specific imaging of the epidermal growth factor receptor (EGFR) was confirmed.

OTTuA • Trapping Techniques and Applications I-Continued

OTTuA4 • 9.00 Invited
Transportation of a Micro Droplet by
Light Irradiation: The Influence of an
Advection and the Marangoni Effect,
Takafumi Iwaki¹; ¹Fukui Inst. for
Fundamental Chemistry, Kyoto Univ.,
Japan. Photophoresis of a micro droplet
induced by a photo-thermal force is
discussed. In particular, a feedback
process between an internal flow and a
surface temperature is considered in
terms of advections and the Marangoni
effect.

BTuA4 • 9.15

Optomechanical Fluid-Filled Model of the Human Eye, Ashkan Arianpour, Eric Tremblay, Joseph Ford, Yuhwa Lo; Univ. of California San Diego, USA. The following describes the design and performance of an optomechanical fluid-filled eye model and its use for testing flaws in an actual eye using optical components that can be modified to match an individual's eye.

BTuA5 • 9.30 Invited

Revisiting the Stiles-Crawford Effect in Retinal Imaging, Brian Vohnsen; School of Physics, Univ. College Dublin, Ireland. Efficient photoreceptor light coupling benefits both vision and highresolution retinal imaging. Here, the related Stiles-Crawford effect is analyzed in relation to scanning retinal imaging and the situation of a coherent fiber-bundle retina model.

NTuA4 • 9.30

Coherent Optical Imaging Through Opaque Layers, Elbert G. van Putten; Univ. of Twente, Netherlands. We demonstrate imaging of gold nanostructures through an opaque scattering layer. We obtained a very high resolution proving that scattering can significantly improve the image quality in microscopy.

OTuA4 • 9.30

Fluorescence Molecular Imaging System: Design and Phantom Studies, Yuting Lin¹, Michael Ghijsen¹, Hao Gao²¹, Orhan Nalcioglu¹, Gultekin Gulsen¹; ¹Ctr. for Functional Onco Imaging, Univ. of California at Irvine, USA; ²Applied Mathematics, Univ. of California at Los Angeles, USA. In this study, a hybrid MR-frequency domain fluorescence tomography (FT) is developed. The phantom studies show that the anatomical images from MRI improve reconstruction of both fluorescence concentration and lifetime parameters significantly.

An MR compatible Frequency Domain

OTTuA5 • 9.30

Sub-Micron Patterning of Rough Surfaces Using Optical Trap Assisted Nanopatterning, Romain Fardel¹, Yu-Cheng Tsai¹, Craig B. Arnold¹; ¹Mechanical and Aerospace Engineering, Princeton Univ., USA. Optical trap assisted nanopatterning is used to write submicron features on substrates with preexisting topography. Uniform patterns are successfully written across a large-scale trench on a polyimide surface.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

NTuA • Imaging Through Tissue– Continued

NTuA5 • 9.45

Genetic Algorithm Optimization of Phase Masks for Focusing Light through Turbid Media, Donald B. Conkey, Albert Brown, Antonio Caravaca, Rafael Piestun; Electrical and Computer Engineering, Univ. of Colorado at Boulder, USA. We introduce genetic algorithms for wave-front control to focus light through scattering media. Genetic algorithms are attractive, because of their parallelism and global optimization properties.

OTuA • Advances in Instrumentation or Algorithms II– Continued

OTuA5 • 9.45
Two-Dimensional Surface Plasmon
Resonance (SPR) Biosensor based on
Infrared Imaging, Chi Lok Wong²,
George Chen¹, Beng Koon Ng²; ¹BC
Photonics Technological Co., Canada;
²School of EEE, Nanyang Technological
Univ., Singapore. A surface plasmon
resonance imaging biosensor based on
IR imaging is demonstrated. A sensor
resolution of 9.4 x 10-6 RIU is achieved
which is better than reported by
conventional intensity based SPR

OTTuA • Trapping Techniques and Applications I–Continued

OTTuA6 • 9.45
Optical Manipulation in the
Evanescent Field of a Nanofiber via
Spatial Light Modulation, Mary
Frawley^{1,2}, Alex Petcu-Colan^{1,2}, Sile Nic
Chormaic^{1,2}; ¹Physics Dept., Univ. College
Cork, Ireland; ²Photonics Ctr., Tyndall
National Inst., Ireland. We propose to
selectively generate higher order mode
superposition in an optical nanofiber.
By adiabatically coupling Gaussian and
SLM-generated Laguerre-Gaussian
beams into the fiber, trapping sites form
in the evanescent field at the fiber waist.

10.00–10.30 Coffee Break, Regency Main 10.00–16.00 Exhibits Open, Regency Main

imaging sensors.

NOTES

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BTuB • Visual Optics

Tuesday, 5 April 10.30-12.30 Presider to Be Announced

BTuB1 • 10.30 Invited Optical Engineering for Intra-Ocular Lens (IOL) Selection and

Customization, Chris Dainty¹, Alexander Goncharov¹, Diana Bogusevschi², Patrick Collins¹, Arthur Cummings³, Huanqing Guo1, Eugene Ng3, Anton Sharapov1, Matt Sheehan1, Kevin Smith2; 1School of Physics, Nat'l. Univ. of Ireland Galway, Ireland; ²Nat'l. Digital Res. Ctr., Ireland; ³ClearSight Ltd, Ireland. We describe new methodologies for the selection of the most appropriate power of intra-ocular lens (IOL) in cataract surgery, and how one might develop customized solutions for IOLs.

BTuB2 • 11.00

NTuB • Phase I

Tuesday, 5 April 10.30-12.30 Randy Bartels, Colorado State Univ., USA, Presider

NTuB1 • 10.30 Invited Random and Deterministic Transport

in Live Cells Quantified by SLIM, Gabriel Popescu¹; ¹ Electrical and Computer Engineering, Univ. of Illinois at Urbana-Champaign, USA. We used quantitative phase imaging to measure the dispersion relation, i.e. decay rate vs. spatial mode, gamma(q), associated

with mass transport in live cells.

OTuB • Clinical/Pre-clinical Applications II

Tuesday, 5 April 10.30-12.30

Paul French; Imperial College London, UK, Presider

OTuB1 • 10.30 Invited Optical Techniques for Tracking Cells in vivo, Charles P. Lin; Wellman Ctr. for Photomed, Harvard Med School, Massachusetts General Hospital, USA. I will focus on tracking cancer cells, immune cells, and stem cells in vivo using (i) intravital microscopy for 3-D tissue imaging, and (ii) in vivo flow cytometry for detection and quantification of circulating cells.

OTTuB • Trapping Techniques and Applications II

Tuesday, 5 April 10.30-12.30 Daniel Burnham, Univ. of Washington, USA, Presider

OTTuB1 • 10.30 Invited Title to be Announced, Tony J. Huang; Penn State, USA. Abstract not available.

Invited

Title to be Announced, Christian Sandstedt; Calhoun Vision, Inc., USA. Abstract not available.

NTuB2 • 11.00

Tomographic Reconstruction by Quantitative Phase Imaging with Broadband Fields, Zhuo Wang, Daniel Marks, Scott Carney, Mustafa Mir, Gabriel Popescu; Electrical and Computer Engineering, Univ. of Illinois at Urbana-Champaign, USA. We developed a theoretical and experimental approach that allows for solving the 3D scattering inverse problem via quantitative phase imaging with broadband fields.

OTuB2 • 11.00

FLIM in Ophthalmology - a Diagnostic Tool for Metabolic Mapping, Dietrich Schweitzer¹, Matthias Klemm², Stefan Schenke¹, Silvio Quick¹, Lydia Deutsch¹, Susanne Jentsch1, Martin Hammer1; ¹Experimental Ophthalmology, Univ. of Jena, Germany; 2Biomedical Technique and Informatics, Technical Univ. Ilmenau, Germany. A laser scanner ophthalmoscope for measurement of time-resolved fluorescence of endogenous fluorophores was developed for detection of metabolic alteration in age-related macular degeneration, retinal vessel occlusion,

and diabetic retinopathy.

OTTuB2 • 11.00

Invited

Fiber-Based Dual-Beam Optical Trapping System for Studying Lipid Vesicle Mechanics, Tessa M. Pinon¹, Linda S. Hirst², Jay E. Sharping²; ¹School of Engineering, Univ. of California at Merced, USA; 2School of Natural Sciences, Univ. of California at Merced, USA. We describe the mechanics of giant unilamellar vesicles (GUVs) which are manipulated using a fiber-based dual-beam optical trap. We prepare GUVs encapsulating various concentrations and molecular weights of poly(ethylene glycol) (PEG) polymer.

NTuB3 • 11.15

Real-Time Quantitative Phase and **Dual-Channel Fluorescence** Microscopy for Studying Cellular and Biomolecular Dynamics, Matthew T. Rinehart Natan T Shaked Lisa Satterwhite, Adam Wax; Biomedical Engineering, Duke Univ., USA. We have developed a microscope that simultaneously captures quantitative phase measurements and two distinct fluorescence images on a single camera. This microscope is an effective tool for investigating cellular dynamics with molecular specificity.

OTTuB3 • 11.15 Microfluidic Particle Manipulation on

Electro-Optic Surfaces, Michael Esseling, Stefan Glaesener, Cornelia Denz; Inst. of Applied Physics, Germany. We present an all-optical method for the creation of large-scale particle arrays on the surface of electro-optic crystals. Manipulation of matter is achieved by dielelectrophoretic forces exhibited by the strong internal fields of these materials.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BTuB • Visual Optics-Continued

BTuB3 • 11.30 Invited

Title to be Announced, Qiushi Ren; Peking Univ., China. Abstact not available.

BTuB4 • 12.00

Bio-Inspired Structural Olor

Waveplates and Polarizers and their

Myhre, Arshad Sayyad; College of Optical

studying the polarization property of

optical coatings that can be patterned at

high spatial resolution and have precise

Applications, Stanley Pau, Graham

Sciences, Univ. of Arizona, USA. By

jeweled beetles, we develop novel

optical retardance and polarization

dependent absorption.

NTuB • Phase I-Continued

NTuB4 • 11.30 Spectral-domain Differential Interference Contrast Microscopy,

Yizheng Zhu, Natan T. Shaked, Lisa Satterwhite, Adam Wax; Dept. of Biomedical Engineering, Duke Univ., USA. We present a novel imaging technique, termed spectral-domain DIC microscopy, for high-resolution quantitative measurement of optical pathlength gradients. Imaging of resolution target and live cardiomyocytes were demonstrated with 36pm resolution.

NTuB5 • 11.45

GPU-based Real-time Phase
Microscopy, Johannes Frank, Sebastian
Wette, Jan Beneke, Stefan Altmeyer; Inst. of
Applied Optics and Electronics, Cologne
Univ. of Applied Sciences, Germany. A
quantitative multi-camera phase
microscope, based on a Green's function
solution of the transport-of-intensity
equation (TIE), is presented. Solving the
TIE on a graphic processing unit offers
the possibility of phase measurements
in real-time.

NTuB6 • 12.00

4-Dimensional Microscope System for Dynamic Phase Imaging, Katherine Creath; 4-D Technology Corp. and Univ. of Arizona, USA. New, novel interference microscope system utilizing a pixelated phase sensor capturing dynamic phase images in vitro, enabling volumetric, motion and morphological studies, including examples of monitoring different biological processes and motions

OTuB • Clinical/Pre-clinical Applications II–Continued

OTuB3 • 11.30

Fluorescence Diffuse Optical
Tomography with Multiple View
Structured Illumination, Nicolas
Ducros¹, Andrea Bassi¹, Gianluca
Valentini¹, Martin Schweiger², Simon
Arridge², Cosimo D'Andrea¹; ¹Physics,
IFN-CNR, IIT, Dipt. di Fisica, Italy; ²Dept.
of Computer Science, Univ. College
London, Italy. Fluorescence Diffuse
Optical Tomography with structured
light is demonstrated using multiple
views. Reconstructions from simulated
and experimental data sets is carried
out. Multiple view approach improves
the spatial resolution of reconstruction.

OTuB4 • 11.45

Spectroscopic Optical Coherence Tomography for Quantitative Molecular Imaging, Francisco Robles, Adam Wax; Biomedical Engineering, Duke Univ., USA. Advances in spectroscopic OCT have allowed for quantitative analysis of endogenous contrast agents. Here, we will use SOCT to achieve quantitative molecular imaging using various exogenous contrast agents spanning the visible region of the spectrum.

OTuB5 • 12.00

Multimodal Optical Detection of Intravaginal Microbicide Gel Coating Thickness Distribution, Tyler K. Drake, Jennifer Peters, Marcus Henderson, Michael DeSoto, David Katz, Adam Wax; Biomedical Engineering, Duke Univ., USA. A clinical optical probe incorporating simultaneous fluorescence and low coherence interferometry imaging was developed. A clinical study was performed to compare fluorimetry and LCI in measuring intravaginal microbicide gel thickness distribution.

OTTuB •Trapping Techniques and Applications II–Continued

OTTuB4 • 11.30

Sonotweezers: Complementing the Size and Force Spectra of Optical Trapping, Michael P. MacDonald¹; ¹Electronic Engineering and Physics, Univ. of Dundee, UK. Optical trapping is suited to applications with small forces, high spatial control and for nanometre-to micron-sized particles. We present Sonotweezers, manipulating particles up to millimetres in scale with forces in excess of nanometres.

OTTuB5 • 12.00

Combined Optical and Acoustic Trapping, Gregor Thalhammer; Division for Biomedical Physics, Innsbruck Medical Univ., Austria. We present the combination of optical and acoustic trapping in a microfluidic device. This setup combines the advantages of a large trapping volume of acoustic trapping with the high precision and flexibility of optical micromanipulation.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

NTuB • Phase I-Continued

NTuB7 • 12.15

X-ray Photon Sieves for Phase-contrast Microscopy, Guanxiao Cheng¹², Chao Hu¹², Max Q.-H. Meng²¹; ¹Shenzhen Inst. of Advanced Technology, Chinese Academy of Sciences, China; ²Chinese Univ. of Hong Kong, China. A diffractive compound objective integrated the Zernike phase shift in an apodized photon sieve (ZAPS) is presented for high-resolution X-ray phase-contrast microscopy. The focusing properties of the ZAPS can be easily adjusted by pupil apodization.

OTuB • Clinical/Pre-clinical Applications II–Continued

OTuB6 • 12.15

Rapid Confocal Imaging of Large Area Excised Tissue with Strip Mosaicing, Sanjee Abeytunge¹, Yongbiao Li¹, Bjorg A. Larson², Ricardo Toledo-Crow¹, Milind Rajadhyaksha²; ¹Res. Engineering Lab., Memorial Sloan Kettering Cancer Ctr., USA; ²Dermatology Services, Memorial Sloan Kettering Cancer Ctr., USA. Strip mosaicing in a confocal microscope allows imaging of cellular morphology over large-area tissue for rapid pathology at the bedside. We scan 10 mm long strips and stitch to display 100 mm2 in five minutes.

OTTuB • Trapping Techniques and Applications II–Continued

OTTuB6 • 12.15

Message In a Bottle the Statistical Behavior of Nanoparticles in Optical Confinement, Liangcheng Zhou¹, Daniel Ou-Yang¹, Joseph Junio¹, Jack Ng², Joel Cohen³, Zhifang Lin⁴; ¹Physics, Lehigh Univ., USA; ²Physics, Hong Kong Univ. of Science and Technology, Hong Kong; ³Physiology, Univ. of the Pacific, USA; ⁴Physics, Fudan Univ., China. A focused laser produced optical bottle transiently traps nanoparticles while 3-D fluorescence imaging maps the nanoparticle distribution.

NOTES

JTuA • Joint Poster Session, Regency Main

13.30-15.30

JTuA1

Customized Eye Modeling Using Clinical Pentacam and Wavescan Data,

Ying-Ling A. Chen¹, Lei Shi¹, Jim Lewis³, Ming Wang², Ryan Vida²; ¹Ctr. for Laser Applications, Univ. of Tennessee, USA; ²Wang Vision Inst., USA; ³E-Vision Technologies Inc., USA. We incorporated anterior chamber components, axial length, and wavefront measurements to construct pilot customized eye models for extensive applications. 21 normal and diseased eyes were successfully constructed with RMS 0.01 wave accuracy.

JTuA2

Determination of Resorption in Bone Using Phase Shifting Interferometry, George Chen¹, Joachim Loo²; ¹BC Photonics Technological Co, Canada; ²School of Materials Science and Engineering, Nanyang Technological Univ., Singapore. Phase Shifting Interferometer using the Carre and Hariharan algorithms is proposed for quantifying resorption in bone sample. Advantages of the system include being non-contact, 3-D profile, less time consuming, and relatively inexpensive.

JTuA3

Biophotonic Studies of Intracellular Responses to Nanosecond, Megavoltper-meter, Pulsed Electric Field, Yu-Hsuan Wu1, Stefania Romeo2, Martin A. Gundersen3, P. Thomas Vernier3,4; ¹Chemical Engineering and Materials Science, Univ. of Southern California at Los Angeles, USA; 2Information Engineering, Second Univ. of Naples, Italy; 3Electrical Engineering, Univ. of Southern California at Los Angeles, USA; 4MOSIS/Information Sciences Inst., Univ. of Southern California at Marina Del Rey, USA. The effects of nanoelectropulses on intracellular structures are reported in this work. The real-time investigation is performed by means of a system consisting of a fluorescence microscope, an EMCCD camera and a photomultiplier tube.

JTuA4

Enhanced Bio-Sensing by
Mechanically Stretching Active
Plasmonic PDMS Device, Yanhui Zhao¹,
Ahmad A. Nawaz¹, Tony J. Huang¹;
¹Engineering Science and Mechanics, Penn
State Univ., USA. We demonstrated a
bio-sensing tool involving deposition of
gold coated PS nanospheres over a
PDMS substrate. Sensing spectrum can
be tuned by stretching PDMS substrate,
providing large sensing range within a
single structure.

ITuA5

Quantifying Kinetics and Dynamics of DNA Repair Proteins Using Raster-Scan Image Correlation Spectroscopy and Fluorescence Recovery after Photobleaching, Salim Abdisalaam¹; ¹Bioengineering, Univ. of Texas at Arlington, USA. DNA double-strand breaks (DSBs) are one of the most lethal DNA damage occurs in mammalian cells. In this work, RICS and FRAP techniques are used to study kinetics of double stand break repair proteins before and after γ-irradiation in vivo.

JTuA6

Time-Gated Raman Spectra of Living Samples, Zachary Smith¹, Florian Knorr¹, Sebastian Wachsmann-Hogiu¹; ¹Ctr. for Biophotonics, Univ. of California at Davis, USA. We have developed an 800 fs alloptical gate capable of providing approximately 1.

JTuA7

Statistical Analysis of Biotissues
Mueller Matrix Images in Cancer
Diagnostics, Roman M. Tsykaliaki;

¹Correlation Optics, Chernivisi Natl.
Univ., Ukraine. Application of lasers in
biomedical optics caused the
development of other research areas biospeckles. This research was aimed at
the potentialities of laser polarimetry in
diagnostics of optically thick, multilayer
tissues of human prostate.

JTuA8

Long Gradient Index Lens
Multiphoton Endoscopic Systems,
David Huland¹, Scott Howard², Watt W.
Webb², Chris Xu²; ¹Biomedical Engineering,
Cornell Univ., USA; ²Applied and
Engineering Physics, Cornell Univ., USA.
We characterize long (up to 285 mm)
GRIN lens endoscope systems for
multiphoton imaging use. Axial and
lateral point spread functions are
presented.

ITuA9

Label-Free Detection of Calcifications in the Breast, Zhuo Wang¹, Krishnarao Tangella²³, Gabriel Popescu¹; ¹Electrical and Computer Engineering, Univ. of Illinois at Urbana-Champaign, USA; ²Pathology, Univ. of Illinois at Urbana-Champaign, USA; ³Christie Clinic, USA. We demonstrated that phase shifts and refractive index changes measured via quantitative phase imaging can be an indicator for calcifications in breast tissue biopsies.

JTuA10

Live 3-D Imaging of HIV-1 Transfer through the Virological Synapse,

Deanna L. Thompson¹, Gregory
McNerney¹, Benjamin M. Dale², Benjamin
K. Chen², Thomas Huser¹; ¹NSF Center for
Biophotonics Science and Technology,
Univ. of California at Davis, USA; ²Mount
Sinai School of Medicine, USA. Live, 3-D,
multicolor imaging of cell-to-cell HIV-1
transmission using spinning disk
confocal microscopy and a replicationcompetent fluorescent clone of the virus
reveals clues to HIV's evasion of the
human immune system.

JTuA11

Fast, Approximate Gaussian Mask Algorithm, Alexander R. Small¹, Nahom Yirga¹; ¹Physics, California State Polytechnic Univ., USA. Gaussian Mask is an algorithm for localizing fluorophores in microscopy. Using simulated images, substantial speed improvements are shown to be possible if good initial position estimates are available and the fitting function is Taylor-expanded.

ITuA12

Tunable, Low Repetition Rate,
Femtosecond Pulse Ti:Sapphire Laser
for in vivo Imaging by Nonlinear
Microscopy, Robert Szipocs^{1,2}, Peter
Gyula Antal¹, Attila Szigligeti¹, Attila
Kolonics^{1,2}, ¹Laser Applications, Res. Inst.
for Solid State Physics and Optics of the
Hungarian Academy of Sciences, Hungary,
²R&D Ultrafast Lasers Ltd., Hungary. We
report on a broadly tunable, longcavity, low-pump-threshold, pulsed
Ti:Sapphire laser. The laser delivers
nearly transform limited ~300 fs, ~10 nJ
pulses at 22 MHz repetition rate being
ideal for nonlinear microscopy.

JTuA • Joint Poster Session, Regency Main

13.30-15.30

JTuA13

Early Glutamate-mediated Cell Death **Detection with Digital Holographic** Microscopy, Nicolas Pavillon¹, Jonas Kühn^{1,2}, Pascal Jourdain³, Christian D. Depeursinge¹, Pierre J. Magistretti^{2,3}, Pierre Marquet^{2,3}; ¹Microvision and Microdiagnostics Group, STI, Ecole Polytechnique Fédérale de Lausanne, Switzerland; 2Dépt. de Psychiatrie, CHUV, Prilly, Switzerland; 3Brain Mind Inst., Ecole Polytechnique Fédérale de Lausanne, Switzerland. We demonstrate the capability of digital holography to dynamically detect non-invasively cell death through the measurement of cellular volume regulation, considered as an early indicator of cellular deregulation, leading to cell death triggering.

JTuA16

(TERS) Instrumentation for Probing Linearized DNA for Cancer-Specific Lesions: Challenges and Outcomes, Noah Kolodziejski¹, Rajan Gurjar¹, David Wolf¹; ¹Radiation Monitoring Devices, USA. We have adapted Tip-Enhanced Raman Spectroscopy (TERS) technology to a DNA sequencing modality simultaneously sensitive to a broad spectrum of cancer-relevant lesions. Obstacles encountered while approaching single-base resolution will be discussed.

Tip Enhanced Raman Spectroscopy

JTuA19

High-Speed Imaging of Microbubble Formation in a Novel Flow Focusing Microfluidics Chip, Paul Campbell; Physics, Univ. of Dundee, UK. This work aimed to produce monodisperse microbubbles for use as theranostic agents in medical ultrasound. We describe our design for a glass microfluidic chip with a distinctive flow focussing junction that ensure monodispersity.

JTuA22

Discontinuous Galerkin Method,
Srijeeta Bagchi¹, Debasish Roy², Ram
Mohan Vasu¹; ¹Dept. of Instrumentation
and Applied Physics, Indian Inst. of
Science, India; ²Dept. of Civil Engineering,
Indian Inst. of Science, India. This paper
attempts to model the forward problem
in photoacoustic tomography (PAT)
using discontinuous Galerkin (DG)
method. Numerical experiments show
that DG solutions are comparable with
those obtained by finite element
method (FEM).

Forward Problem Solution in

Photoacoustic Tomography by

JTuA14

In vivo Real Time FF-OCT of the Rat Brain, Jonas Binding^{3,2}, Juliette Benarous¹, Sylvain Gigan², Claude Boccara², Jean-François Léger¹, Laurent Bourdieu¹; ¹IBENS, ENS, Paris, France; ²Inst. Langevin, ESPCI ParisTech, Paris, France; ³Max Planck Inst. for Medical Res., Heidelberg, Germany. We demonstrate the ability of full-field OCT to image the cortex of living rats. The main feature that appears is individual myelin fibers. A precise measurement of the brain refractive index has also been obtained.

ITuA17

Two-photon Absorbing Probes and Their Use in Two-Photon Fluorescence Microscopy of Cells and ex vivo Imaging of Tumors, Ciceron Yanez1, Carolina D. Andrade¹, Alma R. Morales¹, Takeo Urakami3, Masanobu Komatsu3, Kevin D. Belfield^{1,2}; ¹Chemistry, Univ. of Central Florida, USA; 2CREOL, Univ. of Central Florida, USA; ³Sanford-Burham Medical Research Inst., USA. Efficient two-photon (2PA) absorbing dyes and bioconjugates were used in two-photon fluorescence microscopy (2PFM) of cells, tissue sections, and excised tumors. Results show the utility of these dyes in studying biological processes.

JTuA20 Turbidity Measurements on

Suspended Lipid Microbubble Populations Subjected to Ultrasound, Paul Campbell; Physics, Univ. of Dundee, Dundee, UK. The turbidity of solutions containing 2 ultrasound contrast agents (SonoVue®, Bracco Diagnostics, Inc. and Sonazoid™, GE HealthCare) was measured as a function of ultrasound exposure, and correlations developed with their bioeffects *in vitro*.

JTuA23

Please see OTTuC3

JTuA15 Extended Field of View Confocal

Microscopy, Kristen C. Maitland¹, Meagan Saldua³, Cory Olsovsky¹; ¹Biomedical Engineering, Texas A&M Univ., USA. We exploit a fast motorized translation stage to replace the frame scan mirror in a raster scanning confocal microscope to extend field of view in one axis. 5cm x 1mm image is captured in <10 seconds.

JTuA18

Non-Invasive Staining of the Whole Astrocytic Network in the Rodent Brain through Systemic Administration of Sulforhodamine Dyes: Intravital and in vitro Applications, Florence Appaix², Johannes Roemer², Boudewijn van der Sanden², Sabine Girod2, Sylvie Boisseau2, Mireille Albrieux2, Hartmut Wege1, Isabelle Guillemain2, Antoine Depaulis2, Jean-Claude A. Vial^{1,2}; ¹Lab. de Spectrometrie Physique, CNRS, Saint Martin d'Heres, France; 2Inst. des Neurosciences de Grenoble, INSERM, France. As compared to local injections of sulforhodamine-B and sulforhodamine-101, i.v. administration of these dyes was shown to be more efficient and less invasive for astrocyte staining in the whole rodent

JTuA21

Novel Two-Photon Fluorescence
Probes for Zinc Ion Sensing, Andrew
Frazer¹, Xuhua Wang¹, Dao M. Nguyen¹,
Alma R. Morales¹, Kevin D. Belfield¹;
¹Chemistry, Univ. of Central Florida, USA.
We report the synthesis, photophysical characteristics of two photon
fluorescent (2PF) probes which shows superior specificity for zinc coupled with two photon microscopy imaging utilized to evaluate detection of Zn2 in vivo.

JTuA24

Evanescent Wave Optical Trapping Using Tapered Optical Fibers, Marios Sergides¹, Susan E. Skelton¹, Radhika Patel¹, Agata Pawlikowska^{1,2}, Phil Jones¹; ¹Physics and Astronomy, Univ. College London, UK; ²Natl. Physical Lab., UK. We investigate experimentally and theoretically the trapping of micro- and nanoparticles in the evanescent field surrounding a tapered optical fiber and show how combinations of modes may be used to control trapped particle dynamics.

JTuA • Joint Poster Session, Regency Main

13.30-15.30

JTuA25

formalism

Plasmon-Enhanced Optical Trapping of Metal Nanoparticles, Onofrio Marago¹, Phil Jones², Rosalba Saija³, Ferdinando Borghese³, Paolo Denti³, Maria A. Iati³, Pietro Gucciardi¹; ¹CNR-Inst. per i Processi Chimico-Fisici, Italy; ²Physics and Astronomy, Univ. College London, UK; ³Dip. di Fisica della Materia e Ing. Elettronica, Univ. di Messina, Italy. We investigate plasmon-enhanced trapping of metal nanoparticles. We calculate the optical forces on gold, silver and aluminium nanospheres through a procedure based on the Maxwell stress tensor in the transition T-matrix

JTuA26 Radially Polarized Optical Tweezers,

Susan E. Skelton¹, Marios Sergides¹,
Radhika Patel¹, Agata Pawlikowska¹²,
Onofrio Marago³, Phil Jones¹; ¹Dept. of
Physics and Astronomy, Univ. College
London, UK; ²Natl. Physical Lab,
Teddington, Middlesex, UK; ³CNR-Inst.
per i Processi Chimico-Fisici, Italy. We
present experimental measurements of
the spring constants of a radially
polarized optical tweezer for a wide
range of micro- and nano-particles and
compare the results to those obtained
using linearly- and circularly-polarized
trapping beams.

JTuA27

Ultrafast Imaging of Microbubble
Cavitation Using Integrated Optical
Trapping for Spatial Control: Progress
and Prospects, Paul Campbell; Physics,
Univ. of Dundee, UK. Cavitation science
has experienced heightened interest
within medical contexts due to the
emerging theranostic capabilities of
ultrasound driven microbubbles. We
review the state of the art for optically
controlled observations at MHz framing
rates.

JTuA28

NanoTracker Force-Sensing Optical Tweezers for Quantitative Single-Molecule Nanomanipulation, Joost van Mameren¹, Helge Eggert¹, Gerd Behme¹, Claudia Böttcher¹; ¹JPK Instruments AG, Berlin, Germany. JPK has developed an optical tweezers platform the NanoTracker This allows controlled trapping and accurate tracking of nanoparticles suspended either in a microfluidic multichannel flow chamber or even in temperature-controlled open Petri dish.

JTuA29

Dark Spot Trapping Using a Double-Ring-Shaped Radially Polarized Beam,

Yuichi Kozawa¹, Shunichi Sato¹; ¹Inst. of Multidisciplinary Res. for Advanced Materials, Tohoku Univ., Japan. We experimentally demonstrated an optical trapping of opaque particles, which were captured in a dark spot created by tightly focusing of a double-ring-shaped, radially polarized beam (TM02 mode beam).

ITuA30

Generation of Trapping Sites in the Evanescent Field of a Fiber Taper

Coupler, Mary Frawley^{1,2}, Galvin Khara¹, Sile Nic Chormaic^{1,2}; ¹Physics Dept., Univ. College Cork, Ireland; ²Photonics Centre, Tyndall Nat'l. Inst., Ireland. We propose to create optical trapping minima in the evanescent field of a fiber taper coupler by selectively exciting combinations of the HE11, TE01 and HE21 higher order modes in the waist region.

JTuA31 Please see OTTuC2

JTuA32

Optical Binding in the Asymmetrical Configurations, Vitezslav Karasek¹, Oto Brzobohaty¹, Pavel Zemanek¹; ¹Inst. of Scientific Instruments of the ASCR, Czech Republic. We study both experimentally and theoretically optical interactions called as optical binding between micro- and nanoscopic particles. We observed new and unexpected manifestations for particles asymmetrically placed in incident optical fields.

JTuA33

An Approach to Selective Optical Isolation and Cloning of

Cyanobacterias of Atacama Desert,

Gabriel Araneda^{1,2}, Nataly Cisternas San Martín^{1,2}, Juan Pablo Staforelli^{1,2}; 'Dept. de Física, Univ. de Concepciòn, Chile; 'Ct. for Optics and Photonics, Chile. We propose a low-cost, highly precise and robust protocol for individual isolation of Cyanobacterias selected from a mixtures of species, combining optical tweezers techniques and flow control by gravity force.

ITuA34

Vortical Optical Traps Based on Spiral

Beams, Kirill Afanasiev, Alexander Korobtsov, Svetlana Kotova, Nikolay Losevsky, Vsevolod Patlan, Eugenia Razueva¹, Vladimir Volostnikov, Evgeny Vorontsov¹; LPI Samara Branch, Russian Federation. The possibility is shown to form vortical light fields with the desired intensity distribution by means of phase-only DOEs based on spiral beams optics. Experiments on fields generation with SLM and laser manipulation are presented.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BTuC • Biomedical Optical **Imaging**

Tuesday, 5 April 16.00.-18.00 Presider to Be Announced

BTuC2 • 16.30

BTuC1 • 16.00 Invited

Title to Be Announced, Ruikang Wang; Univ. of Washington, USA. Abstract not available.

Real-Time 4-D Full-Range Complex

on Dual Graphics Processing Units

Electrical and Computer Engineering,

Johns Hopkins Univ., USA. We

spectrometer, we obtained 5.0

volume/second C-scan speed.

Architecture, Kang Zhang, Jin U. Kang;

implemented real-time 4-D full-range

complex FD-OCT with non-uniform

fast Fourier transform processed in dual

graphics processing units architecture.

With a 128,000 A-scan/second line scan

Uniform Fast Fourier Transform Based

Fourier-Domain OCT with Non-

NTuC • Phase II

Tuesday, 5 April 16.00-18.00 Presider to Be Announced

NTuC1 • 16.00 Invited High-Speed Nonlinear Harmonic

Generation Holographic Microscopy, Randy Bartels1,2, Philip Schlup1, Jesse Wilson¹; ¹Electrical and Computer Engineering, Colorado State Univ., USA; ²School of Biomedical Engineering, Colorado State Univ., USA. We present three-dimensional images of biological samples using nonlinear optical, holographic microscopy. The oscillator operates at a wavelength with low scattering in the sample and its low average power prevents damage to the samples.

NTuC2 • 16.30

Holographic Second Harmonic Generation Microscopy, Etienne Shaffer¹, Pierre Marquet^{1,2}, Christian D. Depeursinge1; 1École Polytechnique Fédérale de Lausanne (EPFL), Switzerland; ²Dépt. de Psychiatrie-CHUV, Site de Cery, Switzerland. Holographic second harmonic generation (SHG) microscopy is a non-scanning imaging technique that retrieves both the amplitude and the phase of SHG. Here, we present an overview of the technique and its applications.

OTuC • Novel Probes III

Tuesday, 5 April 16.00-17.15 Dietrich Schweitzer; Univ. of Jena,

Germany, Presider

OTuC1 • 16.00

Fluorescence Lifetime in Optical Molecular Imaging, Walter J. Akers1, Mikhail Berezin¹, Hyeran Lee¹, Samuel Achilefu1,2; 1Dept. of Radiology, Washington Univ. School of Medicine, USA; 2Dept. of Biochemistry and Biophysics, Washington Univ. School of Medicine, USA. Recent applications of fluorescence lifetime in optical molecular imaging are presented. These in vivo applications include fluorescent signal separation, monitoring of controlled release and improved detection of quenched probe activation.

OTuC2 • 16.30

A New Optical Nano-Construct Composed of a Genome-Depleted Plant Virus Doped with a Near Infrared Organic Chromophore, Bongsu Jung¹, Ayala L. Rao², Bahman Anvari1; 1Bioengineering, Univ. of

California at Riverside, USA; ²Plant Pathology and Microbiology, Univ. of California at Riverside, USA. We have engineered an optical construct composed of the brome mosaic virus doped with indocyanine green, an FDA-approved chromophore. These constructs may offer a non-toxic platform for site-specific and deep tissue optical imaging, and phototherapy.

OTTuC • Trapping Techniques and Applications III

Tuesday, 5 April 16.00-18.00

Invited

OTTuC1 • 16.00

Invited Optoelectronic Tweezers as a Tool for Medical Diagnostics, Steve L. Neale1, Clemens Kremer¹, Michael Barrett², Jonathan Cooper¹; ¹Biomedical Engineering Res. Division, Univ. of Glasgow, UK; ²Wellecome Trust Centre for Molecular Parasitology, Univ. of Glasgow, UK. Optoelectronic Tweezers (OET) allows the patterning of electric fields by the selected illumination of a photoconductive device. This has many applications for medical diagnostics, here we show work towards diagnosing Human African Trypanosomiasis.

OTTuC2 • 16.30

Resolving Interparticle Position and Optical Forces along the Axial **Direction Using Optical Coherence** Gating, Woei Ming Lee1, Tzu Hao Chow2,3, Beng Koon Ng2; 1Wellman Photomedicine, Harvard Medical School and Massachusetts General Hospital, USA; 2School of Electrical and Electronic Engineering, Nanyang Technological Univ., Singapore; ³Singapore-MIT Alliance, Natl. Univ. of Singapore, Center for Singapore-MIT Alliance, Singapore. We demonstrate the use of coherence gating to resolve particle positions and forces in the axial direction. High depth resolvability (micrometers) and weak optical force (femtonewton) measurements in an optical trapping system is achieved.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BTuC • Biomedical Optical Imaging-Continued

BTuC3 • 16.45
Automated 3-D Detection of Giardia
Lamblia Cysts as an Assessment of
Potential Drinking-Water Resources
using DHM with Partially Coherent
Source, Ahmed El Mallahi¹, Christophe
Minetti¹, Frank Dubois¹, Catherine
Yourassowsky¹, Aurélie Detavernier²,
Jingxing Ma², Michel Verbanck²;

¹Microgravity Research Center, Univ. libre
de Bruxelles, Belgium; ²Dept. Water
Pollution Control, Univ. libre de Bruxelles,
Belgium. Digital holographic
microscopy under partially coherent
source allows to identify intracellular

morphologic features of parasitic protozoan (00)cysts. A new rationale for the unambiguous detection of Giardia lamblia contamination risks is

NTuC • Phase II-Continued

NTuC3 • 16.45
Surface Contrast Microscopy, Yousef
Nazirizadeh¹, Uli Lemmer², Martina
Gerken¹; ¹Integrated Systems and
Photonics, Inst. of Electrical and
Information Engineering, Germany; ²Light
Technology Inst. and Center for Functional
Nanostructures (CFN), Germany. We
report a purely optical method for
contrast enhancement of specimen on
surfaces. This method utilizes a
photonic crystal slab between two
crossed polarization filters as the
microscope slide.

OTuC • Novel Probes III– Continued

Ex vivo Tumor Imaging with a VEGFR-2 Selective Two-Photon Absorbing (2PA) Bioconjugate, Carolina D. Andrade¹, Ciceron Yanez¹, Hyo-Yang Alm¹, Kevin D. Belfield¹, Takeo Urakami², Masanobu Komatsu²; ¹Chemistry, Univ. of Central Florida, USA; ²Sanford-Burnham Medical Res. Inst. at Lake Nona, USA. Ex vivo imaging of tumors has been successfully achieved by using a two-photon absorbing (2PA) fluorescent bioconjugate that selectively binds the vascular endothelial growth

factor receptor 2 (VEGFR-2).

OTTuC • Trapping Techniques and Applications III–Continued

OTTuC3 • 16.45
Optical Forces near Surface: Full 3-D
Finite Element Method Based
Calculations, Martin Siler¹, Vitezslav
Karasek¹, Pavel Zemanek¹; ¹Inst. of
Scientific Instruments of the ASCR, v.v.i.,
Czech Republic. Optical forces acting
upon a microparticle placed near the
surface are evaluated using full 3-D
solution of Maxwell equations based on
the Finite Element Method. The stress is
put on the evanescent field
illumination.

BTuC4 • 17.00

proposed.

Cataract Surgery with OCT-guided Femtosecond Laser, Daniel Palanker¹, Georg Schuele2, Neil Friedman1, Dan Andersen2, William Culbertson3; ¹Ophthalmology, Stanford Univ., USA; ²OptiMedica Corp., USA; ³Bascom Palmer Eye Inst., USA. About a third of people in the developed world will undergo cataract surgery in their lifetime. Currently, cataract surgery is a manual procedure highly dependent on the surgical skills and complicating factors. We developed and tested an imageguided laser system to improve the precision and reproducibility of cataract surgery.

Invited

NTuC4 • 17.00

Contrast Enhancing Microscopy by Multi-pass Phase Conjugation, Nicolas C. Pégard, Jason W. Fleischer; Electrical Engineering, Princeton Univ., USA. We have developed a bright field microscopy technique by phase conjugation and multiple transmission of a coherent light source. For microscopic biomaterial, we demonstrate all-optical contrast enhancement and aberration reduction.

OTuC4 • 17.00

OTuC3 • 16.45

How to Enhance the Two-Photon Brightness of Fluorescent Proteins? Mikhail Drobizhev¹, Nikolay Makarov¹, Shane Tillo¹, Thomas Hughes¹, Aleksander Rebane¹; 'Montana State Univ., Bozeman, USA. Fluorescent proteins (FPs) are widely used in 2-photon absorption (2PA) microscopy as genetically-targeted probes. We provide the guidelines for increasing their peak 2PA cross section by tuning (via mutations) local electric field inside protein.

OTTuC3 • 17.00 Invited

A Next Generation BioPhotonics Workstation, Jesper Glückstad; Dept. Photonics Engineering, Techn. Univ Denmark, DTU Fotonik, Denmark. We are developing a Next Generation BioPhotonics Workstation to be applied in research on regulated microbial cell growth including their underlying physiological mechanisms, in vivo characterization of cell constituents and manufacturing of nanostructures and meta-materials.

NTuC5 • 17.15

Nonlinear Restoration of Diffused Images, Laura Waller², Dmitry V. Dylov¹, Jason W. Fleischer²; ¹GE Global Res. Ctr., Niskayuna, USA; ²Electrical Engineering, Princeton Univ., USA. We develop a method to recover diffused and noisehidden images by using spatial nonlinearity to seed instability. Optimal recovery depends on signal content, scattering statistics, and nonlinear coupling strength.

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BTuC • Biomedical Optical Imaging-Continued

BTuC5 • 17.30 Invited Intrinsic Optical Signal Imaging of Stimulus-Evoked Neural Activities in the Retina, Xincheng Yao, Yangguo Li, Yichao Li, Qiuxiang Zhang; Univ. of Alabama at Birmingham, USA. Intrinsic optical signal (IOS) imaging and electrophysiological recording were used to detect retinal neural activities. IOS imaging allowed dynamic monitoring of visual signal propagation from the photoreceptor to inner retinal neurons.

NTuC • Phase II-Continued

NTuC6 • 17.30

Quantitative Phase from Defocus, Shan Shan Kou¹-², Colin J. R. Sheppard², Nicolas Pavillon¹, Pierre Marquet³, Christian D. Depeursinge¹; ¹STI, Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland; ²Bioengineering, Natl. Univ. of Singapore (NUS), Singapore; ³Dépt. de Psychiatrie DP-CHUV, Univ. de Lausanne Switzerland. We present a non-iterative technique that unlike solving the transport of intensity equation (TIE) obtains the quantitative phase of a weak object using only the inversion of an optical transfer function in defocused situation.

NTuC7 • 17.45

Complex Field imaging for Diffraction Tomography, Isabelle Bergoend¹, Cristian Arfire¹, Yann Cotte¹, Christian D. Depeursinge¹; ¹Microvision and Microdiagnostics Group, EPFL, Switzerland. We present a technique to recover 3-D refractive index distribution of cells using Digital Holographic Microscopy. Diffraction tomography is performed by two-axes rotation of the sample and aberrations corrected imaging with high numerical aperture.

OTuC • Novel Probes III– Continued

OTTuC • Trapping Techniques and Applications III–Continued

OTTuC4 • 17.30

Dynamic Biomolecule Sensing Bead Array Held by Optical Tweezers, Mael Manesse¹, Christopher N. Lafratta^{1,2}, Manuel A. Palacios¹, Aaron F. Phillips¹, David R. Walt¹; ¹Chemistry Dept., Tufts Univ., USA; ²Chemistry Dept., Bard College, USA. We have developed a platform using optical tweezers to create dynamic arrays of functionalized microbeads in microfluidic channels. The array is then exposed to analyte signaling molecules and washes, and interrogated using fluorescence microscopy.

OTTuC5 • 17.45

Optically Tweezing the Colloidal Alphabet, Thomas Mason; Physics and Astronomy, UCLA, USA. Many intricate dielectric shapes having holes and arms, as sampled using lithographic letters that have a thickness and width comparable to the wavelength, can be optically trapped in more than one stable position and orientation.

NOTES	,

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

Wednesday, 6 April, 2011

7.30-15.45 Registration Open, Regency Foyer South

BWA • Design for Biomedical **Optical Imaging**

Wednesday, 6 April 8.00 - 10.00Presider to Be Announced

BWA1 • 8.00

Invited Toward Low Cost Imaging: A Laser Scanning Digital Camera, Ann E. Elsner¹, Matthew S. Muller^{1,2}, Benno L. Petrig^{1,2}, Joel A. Papay¹, Christopher A. Clark¹, Jovan Alavanja¹, Bryan P. Haggerty1; 1Indiana Univ., USA; 2Aeon Imaging, USA. The laser scanning digital camera is a hybrid confocal imager, designed with simplified optics and electronics to reduce the costs of diagnostic imaging, presentation of visual stimuli, and measurement of refractive error.

BWA2 • 8.30 Invited Better Medicine Through Proper

Lighting, Amber Czajkowski¹; ¹Coating, Edmund Optics, USA. Adverse lighting conditions can seriously hinder medical diagnoses. Through the use of properly filtered light, medical professionals may dramatically improve viewing conditions for timely and more accurate diagnoses.

BWA3 • 9.00

Microscopy and Spectroscopy on a Cell Phone, Kaiqin Chu¹, Zachary J. Smith¹, Denis Dwyre², Dennis Matthews¹, Stephen Lane¹, Sebastian Wachsmann-Hogiu1,2; 1Center for Biophotonics, Univ. of California at Davis, USA; 2Dept. of Pathology, Univ. of California at Davis, USA. We have developed two attachments that transform a cell phone's integrated camera into either a microscope with 1.5 micron resolution or a spectrometer with a 5nm spectral resolution. We show applications to medically relevant problems.

NWA • Endoscopy

Wednesday, 6 April 8.00-10.00 Presider to Be Announced

NWA1 • 8.00 Invited

Scanning Fiber-Optic Nonlinear Endomicroscopy, Kartikeya Murari¹, Jiefeng Xi1, Ming-Jun Li1, Xingde Li2, Yuying Zhang1; 1Biomedical Engineering, Johns Hopkins Univ., USA; 2Science and Technology Division, Corning Inc., USA. We present a fully integrated fiber-optic scanning endomicroscope of a probe head weight less than 1.2g. Significant improvements on nonlinear signal collection efficiency (by 30 fold) and resolution (by 2 fold) have been recently achieved.

NWA2 • 8.30 3 mm O.D. Raster Scanning Multiphoton Endoscope, David R. Rivera, Christopher M. Brown, Chris Xu, Watt W. Webb: Cornell Univ., USA, We present a 3mm outer diameter multiphoton endoscope that utilizes a hybrid resonant/non-resonant miniaturized piezo raster scanner. A

NWA3 • 8.45

field of view of 80um by 70um is achieved at a frame rate of 4.4 frames/s.

Title to Be Announced, Zhongping Chen; Univ. of California Irvine, USA. Abstract not available.

NOTES

Big Sur RoomRegency 1 & 2Regency 3Cypress RoomBio-Optics: Design and Application (BODA)Novel Techniques in Microscopy (NTM)Optical Molecular Probes, Imaging and Drug Delivery (OMP)Optical Trapping Applications (OTA)

BWA4 • 9.15 Miniaturized Microscope for Multispectral Laser Imaging, Janaka Senarathnai; ¹Biomedical Engineering, Johns Hopkins Univ., USA. Imaging setups require stereotaxically affixed animals restricting observable behavior. We present a rodent head-mountable microscope for multi-spectral laser imaging. Architecture and preliminary results are described.

BWA5 • 9.30 Invited **OCT Endomicroscopy and Functional** Integration with Two-Photon Fluorescence Imaging, Jiefeng Xi1, Kartikeya Murari¹, Yuying Zhang¹, Yongping Chen¹, Jiasong Li¹, Xingde Li¹; ¹Biomedical Engineering, Johns Hopkins Univ., USA. We report on our recent developments of optical coherence tomography endoscopy technologies that enable aberration correction, highspeed uniform data acquisition in Fourier domain, and functional integration with multiphoton fluorescence imaging.

NWA4 • 9.15 A Microendoscope with Focal Modulation, Guangjun Gao, Nanguang Chen; Division of Bioengineering, Natl. Univ. of Singapore, Singapore. An endoscope-version focal modulation microscopy (FMM) for in vivo imaging is proposed. Electric optical modulator (EOM)-crystal modulator is used to modulate the beam and a deformable mirror is used for axial scanning.

NWA5 • 9.30 Invited
Title to Be Announced, S.H. Andy Yun;
Massachusetts General Hospital, USA.
Abstract not available.

	NOTES
ļ	

10.00-10.30 Coffee Break, Regency Main

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BWB • Two-Photon Imaging

Wednesday, 6 April 10.30–12.30 Presider to Be Announced

BWB1 • 10.30 Invited

Technology Development for Multiphoton Imaging, Chris Xu¹; ¹Applied and Engineering Physics, Cornell Univ., USA. We present our research effort in improving the penetration depth of multiphoton microscopy and the development of a multiphoton endoscope for imaging intrinsic tissue fluorescence and harmonic generation in vivo.

BWB2 • 11.00 Invited

Title to Be Announced, *James V. Jester; Univ. of California Irvine, USA*. Abstract not available.

BWB3 • 11.30 Invited Nonlinear Optical Probes of Ovarian

Cancer, Paul J. Campagnola¹, Molly Brewer², Ronald LaComb², Oleg Nadiarnykh², Xiyi Chen¹, Reui-Yu He²; ¹Dept. of Biomedical Engineering, Univ. of Wisconsin, USA; ²Univ. of Connecticut Health Ctr., USA. Nonlinear optics are used to study human ovarian cancer. SHG imaging elucidates structural differences in normal and malignant tissues. Cell adhesion/migration dynamics are examined with ECM models fabricated by multiphoton excited photochemistry.

NWB • New Techniques

Wednesday, 6 April 10.30–12.30 Presider to Be Announced

NWB1 • 10.30 Invited

Invasive Micro-optics for in vivo Imaging in Mouse Brain, Michael J. Levene; Biomedical Engineering, Yale Univ. USA. Invasive micro-optics, including both gradient index lenses and micro-prisms, enable multiphoton microscopy of deep brain structures in vivo that would otherwise be impossible to observe. We present the latest developments in use of micro-optics.

NWB2 • 11.00 Invited Lensfree Microscopy On a Chip,

Aydogan Ozcan; Electrical Engineering Dept., UCLA, USA. We review the recent progress on lensfree on-chip microscopy techniques that are aimed at telemedicine as well as high-throughput biomedical imaging and screening applications.

NWB3 • 11.30

Optically Sectioned Fluorescence Imaging with HiLo, Tim N. Ford¹, Daryl Lim¹, Kengyeh K. Chu¹, Eladio Rodriguez-Díaz², Satish K. Singh², Jerome Mertz¹; ¹Biomedical Engineering, Boston Univ., USA; ²Gastroenterology, Boston Univ. School of Medicine, USA. HiLo is a widefield fluorescence imaging technique that provides optical sectioning by processing two images acquired sequentially using illumination with and without high contrast structure. We present the latest implementations of the technique.

NWB4 • 11.45 4-D Image Mapping Spectrometer

(IMS) with Structured Illumination,
Liang Gao^{1,3}, Noah Bedard¹, Robert Kester¹,
Nathan Hagen¹, Tomasz Tkaczyk^{1,2};
¹Bioengineering, Rice Univ., USA;
²Electrical and Computer Engineering, Rice
Univ. USA; ³Rice Quantum Inst., Rice
Univ., USA. We present a 4-D (x, y, z, λ)
Image Mapping Spectrometer with
structured illumination. Depth resolved
fluorescence spectral channel images of
thick biological tissues were acquired
with axial resolution of ~ 1 μm.

NOTES

Big Sur Room

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Practical Implementation of Log-Scale

Active Illumination Microscopy,

Kengyeh K. Chu1, Daryl Lim1, Jerome

redistributing dynamic range in

microscopy is a method of

Mertz¹; ¹Biomedical Engineering, Boston Univ., USA. Active illumination

scanning microscopes using feedback

power. Images are reconstructed on a

for real-time control of illumination

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BWB4 • 12.00

Effects of Ultrashort Femtosecond Laser Pulses Upon Embryogenesis of Eukaryotic Organisms, Sergey Arkhipov'; 'Chemistry, Michigan State Univ., USA. Using scoring of survival of irradiated Drosophila embryos the moderate effects of fs-laser irradiation on embryogenesis and indirect evidence of possible induction of DNA repair mechanisms are demonstrated.

logarithmic scale to preserve dynamic range benefits.

NWB5 • 12.00

NWB6 • 12.15 Direct Aberrations Correction in Two Photon Microcopy by a Single On-

Axis Measurement, Rodrigo Aviles-Espinosa¹, Jordi Andilla², Rafael Porcar-Guezenec², Omar Olarte¹, Xavier Levecq², David Artigas¹³, Pablo Loza-Alvarez¹; ¹Biophotonics, ICFO – Inst.de Ciències Fotòniques, Spain; ²Imagine Optic, France; ³Dept. of Signal Theory and Communications, Univ. Politècnica de Catalunya, Spain. The use of the nonlinear guide-star concept is proposed. This principle is used to directly measure sample aberrations employing a wave front sensor and correcting them in a single step by shaping a deformable mirror.

BWB5 • 12.15

Particle pushing via Liquid Gradient Refractive Index (L-GRIN) Lens, Ahmad A. Nawaz¹, Xiaole Mao¹, Yanhui

Zhao¹, Sz-Chin Steven Lin¹, Tony J. Huang¹; ¹Pennsylvania State Univ., USA. We report an onchip particle manipulator that utilizes a tunable Liquid gradient Refractive Index optofluidic microlens to optically control the pushing the particles. Utilizing the argon laser, particle velocity is controlled via laser input power.

12.30 -13.30 Lunch Break (on your own)

BWC • Spectroscopic Imaging

Wednesday, 6 April 13.30–15:45 p.m. Presider to Be Announced

BWC1 • 13.30

Invited

Title to be Announced, *Jonas Korlach Pacific Biosciences*, *USA*. Abstract not available.

BWC2 • 14.00

Invited

Title to be Announced, *Jeeseong Hwang; Biophysics Group, NIST, USA.* Abstract not available.

BWC3 • 14.30

Invited

Multiplexed Fluorescence Lifetime Image with Fourier Excitation-

Emission Spectroscopy, Ming Zhao, Leilei Peng; College of Optical Sciences, Univ. of Arizona, USA. We report a Fourier lifetime microscopic method that measures fluorescence lifetime and intensity excitation-emission matrices in 23 microseconds. The technique will allow fast multiplexed imaging study of Förster resonance energy transfer.

Big Sur Room

Bio-Optics: Design and Application (BODA)

Regency 1 & 2

Novel Techniques in Microscopy (NTM)

Regency 3

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Cypress Room

Optical Trapping Applications (OTA)

BWC • Spectroscopic Imaging— Continued

BWC4 • 15.00

Real-Time Hyperspectral Imaging of Pancreatic β-cell Dynamics with Image Mapping Spectrometer (IMS), Liang Gao¹, Amicia Elliott², Robert Kester¹, Nathan Hagen¹, David Piston², Tomasz Tkaczyk¹; ¹Bioengineering, Rice Univ., USA; ²Department of Molecular Physiology and Biophysics, USA. Real-time hyperspectral imaging of pancreatic β-cell dynamics is achieved by utilizing an Image Mapping Spectrometer (IMS). The calcium signal was successfully monitored during caspase-3 mediated FRET in cellular apoptosis.

BWC5 • 15.15

Study of Cationic Polymer/DNA Complex (Polyplex) Formation by Time-Resolved Fluorescence

Spectroscopy, Cosimo D'Andrea¹, Andrea Bassi¹, Paola Taroni¹, Daniele Pezzoli², Alessandro Volonterio², Gabriele Candiani²; ¹Physics, IFN-CNR, IIT, Politecnico di Milano, Italy; ²Dipartimento di Chimica, Materiali e Ingegneria Chimica, Politecnico di Milano, Italy. Time-resolved fluorescence spectroscopy of SYBR Green is carried out to characterize cationic polymer/DNA complex (polyplex) formation in solution. Both fluorescence amplitude and lifetime prove to be very sensitive to the Charge Ratio polymer/DNA.

BWC6 • 15.30

Fluorescence Lifetime Imaging Microscopy (FLIM) for Intraoperative Tumor Delineation: A Study in

Patients, Yinghua Sun¹, Jeremy Meier², Nisa Hatami¹, Jennifer Phipps¹, Rudolph J. Schrot2, Brian Poirier2, Gregory Farwell2, Daniel Elson3, Laura Marcu1; 1Dept. of Biomedical Engineering, Univ. of California at Davis, USA; 2School of Medicine, Univ. of California at Davis, USA; 3Inst. of Biomedical Engineering, Imperial College London, UK. This work demonstrates a novel application of an endoscopic fluorescence lifetime imaging microscopy system to the intraoperative diagnosis of brain tumor glioblastoma multiforme (GBM) and head&neck tumor squamous cell carcinoma (SCC) in patients.

NOTES

(Bold denotes Presider or Presenting Author)

Bokor, Jeffrey-NMA5 Creath, Katherine-NTuB6 Aaron, Jesse S-OMA3 Bondar, Mykhailo V.-OMD4 Crow, Matthew-OTuA3 Abdisalaam, Salim-JTuA5 Borghese, Ferdinando-JTuA25 Culbertson, William-BTuC4 Abeytunge, Sanjee-OTuB6 Botvinick, Elliot L.-OTMC6 Cummings, Arthur-BTuB1 Achilefu, Samuel-OTuC1 Bourdieu, Laurent-JTuA14 Cunningham, Brian-BMC4 Afanasiev, Kirill-JTuA34 Boustany, Nada N.-BMD6 Czajkowski, Amber-BWA2 Ahn, Hyo-Yang-OMD5, OTuC3 Brewer, Molly-BWB3 Akers, Walter J.-OTuC1 Brown, Albert-NTuA5 D'Andrea, Cosimo-BWC5, OTuB3 Alavanja, Jovan-BWA1 Brown, Christopher M-NWA2 Albert, Jacques-BMC2 Brzobohaty, Oto-JTuA32 Dai, Hongjie-OMB2 Albrieux, Mireille-JTuA18 Bub, Gil-NMD1 Dainty, Chris-BTuB1, NMB5 Altmeyer, Stefan-NTuB5 Burgoyne, Bryan-NMC3 Dale, Benjamin M-JTuA10 Anand, Suman-OTMD6 Burnham, Daniel Richard-OTMD4 Dantus, Marcos-NMD2 Andersen, Dan-BTuC4 Böttcher, Claudia-JTuA28 DeRosa, Maria-BMC2 Andilla, Jordi-NWB6 DeSoto, Michael-OTuB5 Andrade, Carolina D-JTuA17, OTuC3 C Denti, Paolo-JTuA25 Antal, Peter Gyula-JTuA12 Cabrini, Stefano-NMA5 Denz, Cornelia-OTTuB3 Anvari, Bahman-OTuC2 Campagnola, Paul J-BWB3 Depaulis, Antoine-JTuA18 Depeursinge, Christian Daniel, C.-JTuA13, Appaix, Florence-JTuA18 Campbell, Gretchen K-OTMA4 Applegate, Brian E-NMD5, OMA2 Campbell, Paul-JTuA19, JTuA20, JTuA27 NTuC2, NTuC6, NTuC7 Araneda, Gabriel-JTuA33 Candiani, Gabriele-BWC5 Detavernier, Aurélie-BTuC3 Arathorn, David W-BMA2 Capps, Arlie G-BMA3 Deutsch, Lydia-OTuB2 Arfire, Cristian-NTuC7 Caravaca, Antonio-NTuA5 Deyev, Sergey M-OMD1 Arianpour, Ashkan-BTuA1, BTuA4 Carlson, Christine A-OTMC5 Dholakia, Kishan-OTTuA1 Arkhipov, Sergey-BWB4 Carminati, Rémi-NTuA3 Dodds, Calvin-OTMD6 Arnold, Craig B-OTTuA5 Carney, Scott-NTuB2 Drake, Tyler Kaine-OTuB5 Arridge, Simon-OTuB3 Carson, Bryan D-OMA3 Drezek, Rebekah-OMB1, OMD Artal, Pablo-BMA1 Chandler, Eric V-NMC5 Drobizhev, Mikhail-OTuC4 Artigas, David-NWB6 Chandra, Malavika-OMC3 Dubois, Frank-BTuC3 Aviles-Espinosa, Rodrigo-NWB6 Chaudhery, Vikram-BMC4 Ducros, Nicolas-OTuB3 Chaumet, Patrick C-NMA4, NMB4 Dunn, Andrew-NTuA1 Chen, Benjamin K-JTuA10 Durst, Michael-NMD6 Baer, Tom-NMC6 Chen, George-JTuA2, NMD7, OTuA5 Dwyre, Denis-BWA3 Chen, Leng-Chun-OMC3 Bagchi, Srijeeta-JTuA22 Dylov, Dmitry V-NTuC5 Balderas-Mata, Sandra-BMA3 Chen, Nanguang-NWA4 Barker, Peter-OTMB2 Chen, Xivi-BWB3 Chen, Ying-Ling Ann-JTuA1 Barrett, Michael-OTTuC1 Eckerskorn, Niko-OTMD5 Bartels, Randy-NTuC1 Chen, Yongping-BWA5 Eggert, Helge-JTuA28 Chen, Yu-BMB4 Bassi, Andrea-BWC5, OTuB3 El Mallahi, Ahmed-BTuC3 Bedard, Noah-NWB4 Chen, Zhongping-NWA3 Eldar, Yonina C-NMA3 Cheng, Guanxiao-NTuB7 Elliott, Amicia-BWC4 Begin, Steve-NMC3 Cheong, Fook Chiong-BMD5 Elsner, Ann E-BWA1 Behme, Gerd-JTuA28 Chhetri, Raghav-OMB3 Elson, Daniel-BWC6 Belfield, Kevin D-JTuA17, JTuA21 Chiba, Akito-NMA6 Emelianov, Stanislav-OMC1 Belfield, Kevin D.-OMB4 Belfield, Kevin D-OMB5, OMD3, OMD4, Chiu, Daniel T-OTMD4 Engström, David-OTTuA2 OMD5, OTuC3 Cho, Eikhyun-BMC3 Ergin, Aysegul-OMC5 Belkebir, Kamal-NMA4, NMB4 Chow, Tzu Hao-JTuA31 Erickson, David-OTMA1 Benarous, Juliette-JTuA14 Chu, Kaiqin-BWA3 Esener, Sadik C-OMD2 Chu, Kengyeh K-NWB3 Benchimol, Michael J.-OMD2 Esseling, Michael-OTTuB3 Bendix, Poul Martin-OTMA3 Chu, Kengyeh Ken-NWB5 Cicuta, Pietro-OTMC4 Beneke, Jan-NTuB5 Bengtsson, Jörgen-OTTuA2 Cisternas San Martín, Nataly-JTuA33 Berezin, Mikhail-OTuC1 Clark, Christopher A-BWA1 Bergoend, Isabelle-NTuC7 Cohen, Joel-OTTuB6 Bewersdorf, Joerg-NMA1 Collins, Patrick-BTuB1 Fainman, Yeshaiahu-BMC1 Bigio, Irving J-BMD7, OMC5 Fang, Nicholas-OTMA2 Binding, Jonas-JTuA14 Conkey, Donald B-NTuA5, OTMD2 Fang, Xiao-BTuA3 Boccara, Albert C-NTuA3 Cooper, Jonathan-OTMD6, OTTuC1 Fardel, Romain-OTTuA5 Boccara, Claude-ITuA14 Corbett, Alex David-NMD1 Farwell, Gregory-BWC6 Feinberg, Stephen-OMC3 Cornaglia, Matteo-NMA5

Cote, Daniel-NMC3

Cotte, Yann-NTuC7

Ferrand, Patrick-NMB7

Fiedler, Callie-NMB3

Bogusevschi, Diana-BTuB1

Boisseau, Sylvie-JTuA18

(**Bold** denotes Presider or Presenting Author)

Field, Jeffrey J-NMC5 Fink, Mathias-NTuA3 Fischer, Martin-NMD3 Fleischer, Jason W-NTuC4, NTuC5 Ford, Joseph-BTuA4 Ford, Tim N-NWB3 Francis, Tariq-BMC2

Frawley, Mary-JTuA30, OTTuA6 Frazer, Andrew-JTuA21 French, Paul-OTuA2, OTuB Friedman, Neil-BTuC4 Friedrich, Lars-OTMC3 Fung, Kin Hung-OTMA2

Frank, Johannes-NTuB5

G

Gambhir, Sanjiv S-OMB2 Gao, Guangjun-**NWA4** Gao, Hao-OTuA4 Gao, Liang-**BWC4**, NWB4 Gardner, Adam **R-BMD3**

Gardner, Adam R-BMD3 George, Sherine-BMC4 Geraci, Andrew A.-OTMB3 Gerega, Anna-OMC4 Gerken, Martina-NTuC3 Ghijsen, Michael-OTuA4 Ghosh, Ruby-BMD2

Gigan, Sylvain-JTuA14, **NTuA3** Giovannini, Hugues-NMA4, NMB4 Girard, Jules-NMA4, NMB4 Girod, Sabine-JTuA18

Girod, Sabine-JTuA18
Glaesener, Stefan-OTTuB3
Glückstad, Jesper-OTTuC3
Goksör, Mattias-OTTuA2
Goncharov, Alexander-BTuB1
Goodman, Joseph W-NMA3
Gordon, Reuven-NMA5
Grier, David G-BMD5, OTTuA3
Grimmond, Brian-BMD4
Grover, Ginni-NMB3
Gucciardi, Pietro-JTuA25

Gulsen, Gultekin-BMB2, BMD4, OTuA4

Gundersen, Martin A-JTuA3 Guo, Huanqing-BTuB1 Gurjar, Rajan-JTuA16

Guillemain, Isabelle-JTuA18

H

Hagen, Nathan-BWC4, NWB4 Haggerty, Bryan P-BWA1 Halas, Naomi-OTMA4 Hammer, Martin-OTuB2 Hatami, Nisa-BWC6 Hayakawa, Carole-BMD3 He, Lina-BMC5 He, Reui-Yu-BWB3 Helmerson, Kristian-OTMA4

Henderson, Marcus-OTuB5 Heo, Youra-BMC3

Herzig, Hans Peter-BMC6

Hester, Brooke Cranswick-OTMA4

Hippensteel, Forrest-NMA2

Hirst, Linda S-OTTuB2 Ho, Eric-NMC6 Hoover, Erich E-NMC5 Howard, Scott-JTuA8 Hsu, Mark J-OMD2 Hu, Chao-NTuB7

Huang, Cheng-Sheng-BMC4

Huang, Tony Jun-BWB5, JTuA4, OTTuB1

Hughes, Thomas-OTuC4 Huland, David-JTuA8 Hunter, Jennifer-BMA4 Huschka, Ryan-OTMA4 Huser, Thomas-JTuA10 Hwang, Jeeseong-BWC2

I

Iati, Maria A-JTuA25 Inami, Wataru-**NMA6** Ismach, Ariel-NMA5 Iwaki, Takafumi-**OTTuA4** Izatt, Joseph-**BMB1**, OTuA3 Izumi, Kenji-OMC3

J

Jentsch, Susanne-OTuB2 Jester, James V.-**BWB2** Jezek, Jan-OTMA6 Jo, Javier A-**OMC6**

Johnston-Peck, Aaron-OMB3 Jonas, Alexandr-OTMA6

Jones, Phil-JTuA24, JTuA25, JTuA26,

OTMD1

Joshi, Shailendra-OMC5 Jourdain, Pascal-JTuA13 Jung, Bongsu-OTuC2 Jung, Myungki-BMC3 Junio, Joseph-OTTuB6

K

Kang, Jin U-BTuC2 Kang, Shinill-**BMC3**

Karasek, Vitezslav-JTuA23, JTuA32

Katz, David-OTuB5 Kawata, Yoshimasa-NMA6 Kelf, Timothy A-OMD1 Kester, Robert-BWC4, NWB4 Khara, Galvin-JTuA30 Kheifets, Simon-OTMB1 Kim, Dae Yu-BMA3 Kim, Hyun Min-NMC4 Kim, Seokmin-BMC3 Kim, Susy M-NMC5 Kim, Woosung-BMC5 Kitching, John-OTMB3 Klemm, Matthias-OTuB2 Knorr, Florian-JTuA6 Ko, Kaspar D-OTMA2 Kohl, Anja-BMC4 Kolodziejski, Noah-JTuA16

Kolonics, Attila-JTuA12

Komatsu, Masanobu-JTuA17, OMB4,

OMB5, OMD3, OTuC3
Kong, Lingbo-OTMC2
Korlach, Jonas-BWC1
Korobtsov, Alexander-JTuA34
Kotova, Svetlana-JTuA34
Kou, Shan Shan-NTuC6
Kozawa, Yuichi-JTuA29, NMB6

Kozek, Krystian-OMB3 Kremer, Clemens-OTTuC1

Krishnatreya, Bhaskar Jyoti-**OTTuA3** Krolikowski, Wieslaw-**OTMD5**

Kumar, Anil-OTMA2 Kuo, Shiuhyang-OMC3 Kyrsting, Anders-OTMA3 Kühn, Jonas-JTuA13

L

LaComb, Ronald-BWB3

Lafratta, Christopher N-OTTuC4

Lafratta, Christopher N-Ol Lane, Stephen-BWA3 Lara, David-NMB5 Larson, Bjorg A-OTuB6 Le Moal, Eric-NMB7 Lee, Hyeran-OTuC1 Lee, Steven F-NMB2 Lee, Woei Ming-JTuA31 Lemmer, Uli-NTuC3 Lerosey, Geoffroy-NTuA3 Levecq, Xavier-NWB6

Levecq, Xavier-NWB6
Levene, Michael J-NWB1
Levi, Moshe-NMC2
Lew, Matthew D-NMB2
Lewis, Jim-JTuA1
Li, Guoqiang-BTuA3
Li, Haowen-NMD2
Li, Jiasong-BWA5
Li, Ming-Jun-NWA1
Li, Tongcang-OTMB1

Li, Xingde-BWA5, NWA1 Li, Yangguo-BTuC5 Li, Yichao-BTuC5 Li, Yong-qing-OTMC2 Li, Yongbiao-OTuB6 Liang, Liang-NMC6 Lidstone, Erich-BMC4 Liebert, Adam-OMC4 Lim, Daryl-NWB3, NWB5 Lim, Jiseok-BMC3

Lim, Ryan S-NMC2
Lin, Charles P.-OTuB1
Lin, Yuting-BMD4, OTuA4
Lin, Zhifang-OTTuB6
Lipson, Michal-OTMA5
Liu, Gang Logan-OTMA2
Liu, Henry C-NMD3
Lloyd, William-OMC3
Lo, Yuhwa-BTuA1, BTuA4

(**Bold** denotes Presider or Presenting Author)

Loloee, Reza-BMD2 Loo, Joachim-JTuA2 Losevsky, Nikolay-JTuA34 Loza-Alvarez, Pablo-NWB6

Luk, Alex-BMD4 Luo, Liqun-NMC6

Léger, Jean-François-JTuA14

M

Ma, Jingxing-BTuC3

MacDonald, Michael Peter-**OTTuB4**Magistretti, Pierre J-JTuA13
Maire, Guillaume-NMB4
Maitland, Kristen Carlson-**JTuA15**

Makarov, Nikolay-OTuC4 Manesse, Mael-OTTuC4 Maniewski, Roman-OMC4

Mao, Xiaole-BWB5

Marago, Onofrio-JTuA25, JTuA26, OTMD1

Marcelo, Cynthia-OMC3 Marcu, Laura-**BMB3**, BWC6 Marks, Daniel-NTuB2

Marquet, Pierre-JTuA13, NTuC2, NTuC6

Masand, Shirley N-BMD6
Mason, Thomas-OTTuC5
Mathias, Patrick-BMC4
Matthews, Dennis-BWA3
Matthews, Thomas-NMD4
Mayzner-Zawadzka, Ewa-OMC4
McGloin, David-OTMD6
McNerney, Gregory-JTuA10
Medellin, David-OTMB1
Meier, Jeremy-BWC6
Meng, Max Q.-H.-NTuB7

Mertz, Jerome-NMD6, NWB3, NWB5

Milej, Daniel-OMC4 Miller, Matthew W-OMC6

Mercier, Vincent-NMC3

Min, Wei-NMC1

Minetti, Christophe-BTuC3 Mir, Mustafa-NTuB2 Miyakawa, Atsuo-NMA6 Moerner, W. E-**NMB1**, NMB2

Morales, Alma R-JTuA17, JTuA21, OMB4,

OMB5, OMD3, OMD4

Mudry, Emeric-NMA4, NMB4, NMB7

Muller, Matthew S-BWA1 Mulvey, Christine S-**BMD7** Murari, Kartikeya-BWA5, NWA1

Musi, Valeria-BMC6

Mycek, Mary-Ann-OMA, OMC3

Myhre, Graham-BTuB4

N

Nadiarnykh, Oleg-BWB3 Nalcioglu, Orhan-BMD4, OTuA4

Nawa, Yasunori-NMA6

Nawaz, Ahmad Ahsan-BWB5, JTuA4

Nazirizadeh, Yousef-NTuC3

Neale, Steve Leonard-OTMD6, **OTTuC1** Ng, Beng Koon-JTuA31, NMD7, OTuA5

Ng, Eugene-BTuB1

Ng, Jack-OTTuB6 Nguyen, Dao M-JTuA21

Nic Chormaic, Sile-JTuA30, OTTuA6 Ntziachristos, Vasilis-**OTuA1** Nylk, Jonathan-OTMD6

0

Oddershede, Lene-OTMA3 Ogletree, Frank-NMA5 Olarte, Omar-NWB6 Oldenburg, Amy-**OMB3** Olsovsky, Cory-JTuA15 Ono, Atsushi-NMA6

Ou-Yang, Daniel-OTMD3, OTTuB6

Ozcan, Aydogan-**NWB2** Ozdemir, Sahin K-BMC5

P

Paeder, Vincent-BMC6 Palacios, Manuel A-OTTuC4 Palanker, Daniel-BTuC4 Pang, YJuanJie-NMA5 Papay, Joel A-BWA1

Papoutsoglou, George-OMA5
Papp, Scott B-OTMB3
Pasternack, Robert-BMD6
Patel, Radhika-JTuA24, JTuA26
Patlan, Vsevolod-JTuA34
Pau, Stanley-BTuB4
Pavani, Prassanna-OTMD2
Pavillon, Nicolas-JTuA13, NTuC6

Pawlikowska, Agata-JTuA24, JTuA26,

OTMD1

Peng, Leilei-BWC3
Persson, Martin-OTTuA2
Pestov, Dmitry-NMD2
Petcu-Colan, Alex-OTTuA6
Peters, Jennifer-OTuB5
Petrig, Benno L-BWA1
Petrov, Dmitri-OTMB4
Pezzoli, Daniele-BWC5
Phillips, Aaron F-OTTuC4
Phipps, Jennifer-BWC6

Piestun, Rafael-NMB3, NTuA5, OTMD2

Pilat, Zdenek-OTMA6 Piletic, Ivan-NMD4 Pilli, Suman-BMA3 Pinon, Tessa M.-OTTuB2 Piston, David-BWC4 Poirier, Brian-BWC6

Popescu, Gabriel-JTuA9, NTuB1, NTuB2

Popoff, Sébastien M-NTuA3 Porcar-Guezenec, Rafael-NWB6

Potma, Eric-NMC2 Prescher, Jennifer-OMB2 Przhonska, Olga V-OMD4 Pégard, Nicolas Christian-**NTuC4**

Q

Quick, Silvio-OTuB2 Quirin, Sean-NMB3

R

Rabin, Bryan-BMD6 Raizen, Mark G-**OTMB1**

Rajadhyaksha, Milind-OMC2, OTuA,

OTuB6

Rallapalli, Harikrishna-OMB2 Rao, Ayala L-OTuC2 Razueva, Eugenia-JTuA34 Rebane, Aleksander-OTuC4 Reece, Peter John-**OTTuC2** Reihani, Nader-OTMA3

Ren, Qiushi-BTuB3

Rinehart, Matthew Thomas-NTuB3, OMA4

Rivera, David Rudy-NWA2
Robles, Francisco-OTuB4
Rode, Andrei-OTMD5
Rodriguez, Oscar-NMB5
Rodriguez-Díaz, Eladio-NWB3
Roemer, Johannes-JTuA18
Rohrbach, Alexander-OTMC3
Romeo, Stefania-JTuA3
Roorda, Austin J.-BMA2
Rosenberg, Jarrett-OMB2
Roxworthy, Brian James-OTMA2

Roy, Debasish-JTuA22

S

Saija, Rosalba-JTuA25 Saldua, Meagan-JTuA15 Salmeron, Miquel-NMA5 Samek, Ota-OTMA6 Samineni, Prathyush-NMD3 Sandstedt, Christian-BTuB2 Sato, Shunichi-JTuA29, NMB6

Satterwhite, Lisa-NTuB3, NTuB4, OMA4

Sawosz, Piotr-OMC4
Sayyad, Arshad-BTuB4
Schenke, Stefan-OTuB2
Schlup, Philip-NTuC1
Schneider, Thomas-OTMD4
Schnitzer, Mark-NMC6
Schrot, Rudolph J-BWC6
Schuck, Peter Jim-NMA5
Schuele, Georg-BTuC4
Schutt, Carolyn E-OMD2
Schwartzberg, Adam-NMA5
Schweiger, Martin-OTuB3

Schweitzer, Dietrich-OTuB2, OTuC

Seibel, Eric J-OMC6 Selim, Angelica-NMD4 Senarathna, Janaka-**BWA4**

Sentenac, Anne-NMA4, NMB4, NMB7 Sergides, Marios-**JTuA24**, JTuA26, OTMD1

Sery, Mojmir-OTMA6 Shaffer, Etienne-**NTuC2**

Shaked, Natan T-NTuB3, NTuB4, OMA4

Sharapov, Anton-BTuB1 Sharping, Jay E-OTTuB2 Sheehan, Matt-BTuB1 Sheetz, Kraig E-NMC5 Sheppard, Colin J. R.-NTuC6 Shevchenko, Yanina-BMC2

(**Bold** denotes Presider or Presenting Author)

Shi, Lei-JTuA1 Shvedov, Vladlen-OTMD5 Sierra, Heidy-BMD6 Siler, Martin-JTuA23 Simpson, Mary Jane-NMD4 Sincich, Lawrence C-BMA2 Singh, Satish K-NWB3 Sinha, Supriyo-NMC6 Skala, Melissa-OTuA3

Skelton, Susan E-JTuA24, JTuA26

Skelton, Susan-OTMD1

Small, Alexander R-JTuA11, NMA2

Smalyukh, Ivan I-OTMD2 Smith, Bryan R.-OMB2 Smith, Kevin-BTuB1 Smith, Zachary J-BWA3 Smith, Zachary-JTuA6 Sokolov, Konstantin-OMB Spanier, Jerome-BMD3 Squier, Jeff A-NMC5

Sreenivasan, Varun K-OMD1 Staforelli, Juan Pablo-JTuA33 Steven Lin, Sz-Chin-BWB5 Stranick, Stephan-NMC4 Suhalim, Jeffrey L-NMC2 Sun, Yinghua-BWC6 Szigligeti, Attila-JTuA12 Szipocs, Robert-JTuA12

Т

Tabakman, Scott-OMB2 Takashima, Yuzuru-NMA3 Talneau, Anne-NMB4 Tangella, Krishnarao-JTuA9 Taroni, Paola-BWC5 Terakawa, Susumu-NMA6 Thalhammer, Gregor-OTTuB5 Thompson, Deanna L.-JTuA10 Tillo, Shane-OTuC4 Timlin, Jerilyn-OMA3 Tiruveedhula, Pavan-BMA2

Tkaczyk, Tomasz-BWC4, NWB4 Toledo-Crow, Ricardo-OTuB6 Toussaint, Kimani C-OTMA2 Tracy, Joseph-OMB3 Tremblay, Eric-BTuA4 Trivedi, Rahul P-OTMD2 Tromberg, Bruce J-NMC2 Tsai, Frank-BTuA1 Tsai, Yu-Cheng-OTTuA5

Tsykaliak, Roman Myhailovych-JTuA7

Tuten, William S-BMA2

Urakami, Takeo-JTuA17, OMB4, OMB5, OMD3, OTuC3 Urban, Jeffrey-NMA5 Uzgiris, Egidijus E-BMD4

Valentini, Gianluca-OTuB3 Vallée, Réal-NMC3 van Mameren, Joost-JTuA28 van Putten, Elbert G.-NTuA4 van der Sanden, Boudewijn-JTuA18 Vasu, Ram Mohan-JTuA22

Vasudevan, Srivathsan-NMD7 Venugopalan, Vasan-BMD3 Verbanck, Michel-BTuC3 Vernier, P. Thomas-JTuA3 Vial, Jean-Claude A-JTuA18

Vida, Rvan-JTuA1 Villeneuve, Alain-NMC3 Vitek, Dawn N-NMC5 Vohnsen, Brian-BTuA5 Volonterio, Alessandro-BWC5 Volostnikov, Vladimir-JTuA34 Vorontsov, Evgeny-JTuA34

Wachsmann-Hogiu, Sebastian-BWA3,

Waller, Laura-NTuC5 Walt, David R-OTTuC4 Wan, Qiujie-NMD5 Wang, Jing W-NMC5 Wang, Lihong-OMA1, OMC

Wang, Mei-OMC5 Wang, Ming-JTuA1 Wang, Ruikang-BTuC1

Wang, Xuhua-JTuA21, OMD3, OMD4,

OMD5

Wang, Zhuo-JTuA9, NTuB2 Warnasooriya, Nilanthi-NMD5 Warren, Warren S-NMD3, NMD4 Wax, Adam-NTuB3, NTuB4, OMA4,

OTuA3, OTuB4, OTuB5 Webb, Watt W-JTuA8, NWA2 Weber-Bargioni, Alexander-NMA5

Wege, Hartmut-JTuA18 Weigl, Wojciech-OMC4 Werner, John S-BMA3 Wette, Sebastian-NTuB5 Wilde, Jeffrey P.-NMA3 Wilson, Jesse-NTuC1 Wilson, Tony-BTuA2, NMD1 Woehl, Jorg Christian-OTMC5

Wolf, David-JTuA16 Wong, Chi Lok-OTuA5 Wu, Yu-Hsuan-JTuA3 Wuite, Gijs-OTMC1

Xi, Jiefeng-BWA5, NWA1 Xu, Bingwei-NMD2

Xu, Chris-BWB1, JTuA8, NWA2

Υ

Yanez, Ciceron-JTuA17, OMB4 Yanez, Ciceron O-OMB5 Yanez, Ciceron-OTuC3

Yang, Changhuei-NTuA2 Yang, Lan-BMC5, BMD1 Yang, QIang-BMA2 Yao, Sheng-OMD5 Yao, Xincheng-BTuC5 Yasuda, Ryohei-NMD3 Yirga, Nahom-JTuA11 Young, Michael D-NMC5 Yourassowsky, Catherine-BTuC3 Yun, SH Andy-NWA5

Zavaleta, Cristina-OMB2 Zawadzki, Robert I-BMA3 Zemanek, Pavel-JTuA23, JTuA32, OTMA6

Zhan, Qiwen-OTMD3 Zhang, Kang-BTuC2 Zhang, Pengfei-OTMC2 Zhang, Qiuxiang-BTuC5 Zhang, Yuying-BWA5, NWA1 Zhao, Dongxue-BTuA3 Zhao, Ming-BWC3 Zhao, Yanhui-BWB5, JTuA4 Zheng, Jing Yi-BMD6

Zhou, Liangcheng-OTMD3, OTTuB6

Zhu, Jiangang-BMC5 Zhu, Xiangdong-BMC7 Zhu, Yizheng-NTuB4 Zvyagin, Andrei V-OMD1

2011 Optics in the Life Sciences: OSA Optics and Photonics Congress Topical Meeting Update Sheet and Exhibit Guide

Location Updates

Please note the following meeting room updates:

BODA Technical Session Room: Regency 4 - 6, 2nd Floor NTM Technical Session Room: Regency 1- 3, 2nd Floor OMP Technical Session Room: Spyglass 1 – 2, 1st Floor OTA Technical Session Room: Big Sur 1- 3, 1st Floor Welcome Reception: Beach Grove Exhibits/Coffee Break: Regency Main

Program Corrections

The first OMP session **OMA:** Advances in Instrumentation or Algorithms I will run Monday, 4 April, 08.00-10.00 in Spyglass 1 – 2.

Please note the corrected title and author block of JTuA18, Intravital, Non-Invasive Staining of the Mouse Astrocytic Network Through IV Administration of Sulforhodamine Dyes, Jean-Claude Vial1, Clément Ricard³, Boudewijn van der Sanden², Raphaél Serduc², Pascale Vérant³. ¹ CNRS UMR 5588 LIPHY 38402 Saint Martin d'Hères, France; ² INSERM, UMR-S 836, GIN, Grenoble 38043, France; ³ Univ. Joseph Fourier, Grenoble, France

Congratulations to Lihong Wang, the 2011 Mees Medal Recipient. The medal will be presented during the Welcome Reception.

Presenter Changes

- Yann Cotte; *EPFL, Switzerland* will present **NTuC2**, **Holographic Second Harmonic Generation Microscopy**.
- V. Karasek; Inst. of Scientific Instruments of the ASCR, Czech Republic will present OTTuC3, Optical Forces near Surface: Full 3-D Finite Element Method Based Calculations.
- S. Kou; EPFL, Switzerland will present JTuA13, Early Glutamatemediated Cell Death Detection with Digital Holographic Microscopy

Presider Updates

• Mary-Ann Mycek; Univ. of Michigan, USA will preside over **OMA**: Advances in Instrumentation or Algorithms I.

Withdrawn Presentations

OMA5

OTMA4

OTMB4

OTMD4

OTTuA2

OTTuC2 OTTuC5

JTuA33

<u>POSTDEADLINE PRESENTATIONS</u>: Please see the postdeadline papers book for times and locations of postdeadline paper presentations.

EXHIBIT GUIDE

BaySpec, Inc.

1101 McKay Drive San Jose, CA 95131 USA

P: +1 408.512.5928 F: +1 408.512.5929

sales@bayspec.com

www.bayspec.com

BaySpec, Inc., founded in 1999 with 100% manufacturing in the USA (San Jose, California), is a vertically integrated spectral sensing company. The company designs, manufactures and markets advanced spectral instruments, from UV-VIS spectrometers to handheld and portable NIR and Raman analyzers, for the biomedical, pharmaceuticals, chemical, food, semiconductor, homeland security, and the optical telecommunications industries.

Boulder Nonlinear Systems

450 Courtney Way Lafayette, CO 80026 USA

P: +1 303.604.0077 F: +1 303.604.0066

kelly@bnonlinear.com www.bnonlinear.com

Boulder Nonlinear Systems, Inc. (BNS) specializes in liquid crystal control solutions for both laser-based and imaging systems. Company R & D strengths are leveraged into OEM and standard products targeted for adaptive optics, biomedical, defense, microscopy, optical computing/storage, optical trapping IR scene projection and telecommunications applications. Products include XY and Linear format Spatial Light Modulators, Optical Shutters, Polarization Rotators, and associated electronics.

Chroma Technology Corp

10 Imtec Lane

Bellows Falls, Vermont 05101 USA

P: +1 800.824.7662 F: +1 802.428.2525 sales@chroma.com

sales@chroma.com www.chroma.com

Chroma Technology Corp. is an employee-owned company that specializes in the design and manufacture of precision optical filters and coatings. Our filters have been developed for myriad applications from 220-2600nm. For each of these applications we provide the greatest accuracy in color separation, optical quality and signal purity. We provide application engineering support, short cycle times and are as comfortable designing and manufacturing custom filters as we are our catalog items.

Edmund Optics

101 E. Gloucester Pike Barrington, NJ 08007 USA P: +1 800.363.1992 sales@edmundoptics.com www.edmundoptics.com

Edmund Optics is a leading producer of optics, imaging, and photonics technology. Supporting the R&D, semiconductor, pharmaceutical, biotech and defense markets around the globe; EO products are used in a variety of applications ranging from DNA sequencing to retinal eye scanning to high-speed factory automation. EO's state-of-the-art manufacturing capabilities combined with its global distribution network has earned it the position of the world's largest supplier of off-the-shelf optical components. Customers can purchase items by contacting EO at 1-800-363-1992 or www.edmundoptics.com.

2011 Optics in the Life Sciences: OSA Optics and Photonics Congress **Topical Meeting Update Sheet and Exhibit Guide**

Genia Photonics

1111 Lapierre, Suite 1.855 Lasalle, QC H8N 2J4 Canada +1 514.364.0343

joseph.salhany@geniaphotonics.com

www.geniaphotonics.com

Genia Photonics develops and manufactures a series of fiber based components and laser systems that will significantly change the way certain procedures and functions are performed in the medical, industrial, and military communities. A combination of optical, electrical, and mechanical expertise has led to a series of patented design breakthroughs that are at the core of these lasers systems, offering capabilities that are unique as the design.

JPK Instruments AG

Bouchéstr. 12

12435 Berlin, Germany +49 30.5331.12070 +49 30.5331.22555 cl.boettcher@jpk.com

www.jpk.com

JPK Instruments AG is a world-leading manufacturer of nanoanalytic instruments - particularly atomic force microscope systems and optical tweezers - for a broad range of applications reaching from soft matter physics to nano-optics, from surface chemistry to cell and molecular biology. Headquarted in Berlin and with direct operations in Dresden, Cambridge (UK), Singapore, Tokoyo (Japan) and Paris (France), JPK maintains a global network of distributors and support centers.

Laser Quantum

Emery Court, Vale Road Stockport, Cheshire SK4 3GL, UK P: +44 (0) 161.975.5300 F: +44(0) 161.975.5309

info@laserquantum.com

www.laserquantum.com

Laser Quantum is a world-class manufacturer of high quality solidstate lasers. Our products are known for reliability, performanceexcellence and a long operational life. You'll find our products in laboratories and integrated in systems world-wide. Our expertise meets the needs of industry, aerospace, biomedicine and research. By working with our customers, our lasers are found in applications including femtosecond Ti:Sapphire pumping, PIV, microscopy, fluorescence imaging and Raman spectroscopy.

MAD CITY LABS, INC.

2524 Todd Drive

Madison, WI 53713

p. +1 608.298.0855 +1 608.298.9525 sales@madcitylabs.com

www.madcitylabs.com

Mad City Labs, Inc. manufactures nanopositioning systems suitable for SR microscopy, optical trapping, high speed imaging, single molecule biophysics, AFM and NSOM. Features: high stability, picometer resolution, proprietary PicoQ® sensors, closed loop control, long range precision motion, imaging and automation software compatibility (e.g. MetaMorph, MicroManager and LabView).

Photography is not permitted the exhibit hall. Thank you!

Newport Corporation

1791 Deere Ave. Irvine, CA 92606 USA +1 949.863.3144 F: +1 949.253.1680 sales@newport.com

www.newport.com

Newport is a supplier of innovative solutions to multiple marketplaces including the photonics and photovoltaic industries. Our combined product portfolio which includes Corion®, New Focus™, Oriel® Instruments, Richardson Gratings™ and Spectra-Physics® Lasers enables us to better partner with our customers to provide complete photonic solutions to make, manage and measure

PolarOnyx, Inc.

2526 Qume Drive, Suites 17 & 18 San Jose, CA 95131 USA +1 408 573 0930 +1 408.573.0932

sales@polaronyx.com

www.polaronyx.com

World leading company in high energy/power ultra short (fs, ps, ns) fiber lasers. Excellent for material processing, micromachining, spectroscopy, microscopy, biomedical instrumentation and optical sensing applications. OEM and instrument versions are available. Wavelength ranges from UV to Mid-IR. New products include: Compact high power/energy fs fiber laser from UV to IR. Contact: Lihmei Yang, Director of Sales & Products, lihmeitang@polaronyx.com

Covidien

60 Middletown Ave New Haven, CT 06473 USA +1 203.492.5000 http://www.covidien.com

Covidien is a leading global healthcare products company that creates innovative medical solutions for better patient outcomes and delivers value through clinical leadership and excellence. Covidien manufactures, distributes and services a diverse range of industryleading product lines in three segments: Medical Devices, Pharmaceuticals and Medical Supplies. Covidien has approximately 42,000 employees worldwide in more than 60 countries, and its products are sold in over 140 countries. Please visit www.covidien.com to learn more about our business.

OSA would like to give a special Thank You to our Gold Sponsor!



positive results for life™

2011 OSA OPTICS & PHOTONICS CONGRESS



POSTDEADLINE PAPERS

Optics in the Life Sciences

Bio-Optics: Design and Application (BODA)

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Optical Trapping Applications (OTA)

ISBN 978-1-55752-925-1

4-6 April 2011

Hyatt Regency Monterey Monterey, California, USA

OSA

Optics in the Life Sciences Postdeadline Abstracts

• Monday, April 4, 2011 •

OTMD • Trapping with Shaped Beams

Big Sur 1-3 (Hyatt) 16:00—18:00

Presider to Be Announced

OTMD4p • 17:00

Enhancement of Optical Gradient Force Employed in Optical Tweezers Using a Pulsed Laser Diode,

Takamasa Suzuki¹, Takatsugu Maeda¹, Osami Sasaki¹, Samuel Choi¹; ¹Niigata Univ., Japan. The optical gradient force employed in optical tweezers is enhanced using a pulsed laser diode. A time-sharing approach can be applied for performing multiple optical manipulations to obtain gentle and stiff tweezers for delicate samples.

OTMD5p • 17:15

Optical Micromanipulation of Red Blood Cells Using a Microfabricated Optical Fiber into Optical

Tweezers, *Yogeshwar N. Mishra*,^{2, 1}, *Nelson Cardenas*¹, *Samarendra K. Mohanty*¹; ¹*Physics, Univ. of Texas at Arlington, USA*; ²*CELOS, Cochin Univ. of Science And Technology, India.* We demonstrate the micromanipulation of RBC's into a tapered fiber-optic trap for the transport into and out of the optical tweezers trap in an orthogonal geometry. We are pursuing high-throughput transport analysis of the RBC's using this system.

• Tuesday, April 5, 2011 •

OTTuC • Trapping Techniques and Applications III

Big Sur 1-3 (Hyatt) **16:00—18:00**

Presider to Be Announced

OTTuC2p • 16:30

Free-form optical trapping systems, Andreas Oeder¹,², Sebastian Stoebenau¹,², Stefan Sinzinger¹,²; ¹Technische Optik, Technische Univ. Ilmenau, Germany; ²IMN MacroNano , Ilmenau, Germany. We report a breakthrough in designing and fabricating free-form trapping systems which opens up a new class of systems for optical micromanipulation. We show 3-D-trapping with a specialized optics (WD=650 µm), which is made of a single piece of PMMA.

OTuD • OMP Postdeadline Session

Big Sur 1-3 (Hyatt Regency) 17:15—18:15 Mary-Ann Mycek; Univ. of Michigan, USA, Presider

OTuD1 • 17:15

Sound Light: Model-free Inherently Quantitative Photoacoustic Imaging of Chromophore

Concentrations, Wiendelt Steenbergen¹, Khalid Daoudi¹;
¹MIRA Inst. for Biomedical Technology and Technical Medicine, Univ. of Twente, Netherlands. Photoacoustic imaging is made quantitative by adding acousto-optic tagging, following rules for illumination and detection. The theory will be described and computational and experimental validations will be presented, showing virtues and challenges.

OTuD2 • 17:30

Synthesis of Au2S/Au Core/Shell Nanostructures,

Joseph Young¹, Rebekah Drezek^{1,2}; ¹Electrical and Computer Engineering, Rice Univ., USA; ²Bioengineering, Rice Univ., USA. We present a description of the synthesis process that produces pure Au2S cores, with no Au byproducts, followed by the growth of a pure Au shell. NIR Au2S/Au nanoparticles, ~30nm in diameter, have been realized.

OTuD3 • 17:45

Two-photon Imaging of Intracellular Hydrogen Peroxide with a Chemoselective Fluorescence Probe,

Hengchang Guo¹, Hossein Aleyasin¹, Scott Howard², Bryan C. Dickinson³, Renee Haskew-Layton¹, Demirhan Kobat², Vivian Lin³, David R. Rivera², Christopher J. Chang³, Rajiv R. Ratan¹, Chris Xu²; ¹Burke Medical Research Inst., Weill Medical College of Cornell Univ., USA; ²School of Applied Physics & Engineering, Cornell Univ., USA; ³Dept. of Chemistry, Univ. of California, USA; ⁴Howard Hughes Medical Inst., Univ. of California, USA. We present two-photon molecular imaging of hydrogen peroxide production in mouse hippocampal neuronal cells using Peroxyfluor-6 acetoxymethyl ester, a highly sensitive, smallmolecule probe for selective imaging of H2O2 within the living cells.

Optics in the Life Sciences Postdeadline Abstracts

• Tuesday, April 5, 2011 •

OTuD4 • 18:00

Characterization of Orthopoxvirus Protein Affinity to Chondroitin Sulfate Using TIRF Microscopy, Jesse Aaron¹, Jerilyn Timlin¹, Masood Hadi²; ¹Dept. Bioenergy and Defense Technologies, Sandia Natl. Labs., USA; ²2Biomass Science and Conversion Technology, Sandia Natl. Labs., USA. We investigated the properties of F8L and D8L viral proteins, which mediate viral entry into cells via chondroitin sulfate (CS). We have developed a novel TIRF-based assay to reveal information on binding and nanoscale motility on a CS substrate.

BTuD • BODA Postdeadline Session

Regency 4-6 (Hyatt Regency) **18:15—19:30**

Guoqiang Li, Univ. of Missouri at St Louis, USA, Presider

BTuD1 • 18:15

Intraocular Implanted Mirror Telescope for Age Related Macular Degeneration, Isaac Lipshitz¹;
¹OptoLight Vision Technology, Israel. The implanted mirror telescope magnifies the image that is projected on the retina so that eyes with compromised vision like AMD can detect objects that otherwise they cannot see.

BTuD2 • 17:30

Visual Prosthesis: Recent Development and Future Challenges, *Qiushi Ren*¹; ¹*College of Engineering, China.* Electrical stimulating the different parts of visual pathway for visual recovery had been proposed by many groups. The latest progress and future challenges was presented.

BTuD3 • 18:45

Endogenous Fluorescence Imaging for the Management of Oral and Cervical Cancers, Pierre Lane¹, Caherine Poh^{1,2}, Scott Durham⁵, Lewei Zhang^{2,4}, Sylvia F. Lam¹, Miriam Rosin^{3,6}, Michele Follen⁷, Calum MacAulay1; ¹Integrative Oncology, BC Cancer Research Center, Canada; ²Faculty of Dentistry, Univ. of British Columbia, Canada; ³Cancer Control Res., BC Cancer Res. Ctr., Canada; 4Dept. of Pathology, Vancouver General Hospital, Canada; 5Dept. of Otolaryngology, Vancouver General Hospital, Canada; Biomedical Physiology and Kinesiology, Simon Fraser Univ., Canada; ⁷Dept. of Obstetrics and Gynecology, Drexel University, USA. Imaging of endogenous tissue fluorescence is an effective tool for the early detection of oral and cervical cancers. Recent data show that fluorescenceguided surgical resection of oral lesions dramatically reduce the rate of cancer recurrence.

BTuD4 • 19:00

A Portable System for Imaging and Diffractometry,

Khalid M. Arif^{1,2}, Cagri A. Savran^{1,2}, Stefan Sinzinger^{1,2};

¹Mechanical Engineering, Purdue Univ., USA; ²Birck

Nanotechnology Center, Purdue Univ., USA. We present the design and development of an all-in-one portable system with embedded computing and data analysis for both imaging and diffractometry. We demonstrate the application of the system to bead-based grating patterns.

BTuD5 • 19:15 p.m.

Cytometry via Optical Wavefront Sensing, James Jacob¹, William Sullivan²; John Hoffnagle¹,³;¹CytoRay Inc., USA; ²Univ. of California, Santa Cruz, USA; ³Picarro Inc.,USA. We describe a new technique to noninvasively analyze cells. A wavefront sensor measures the aberrations imparted onto a laser that illuminates single cells. The Zernike coefficients of the deformed wavefront comprise a unique cellular signature.

Lipshitz, Isaac-BTuD1

(**Bold** denotes Presider or Presenting Author)

A	
Aaron, Jesse-OTuD4	M
Aleyasin, Hossein-OTuD3	MacAulay, Calum-BTuD3
Arif, Khalid Mahmood- BTuD4	Maeda, Takatsugu-OTMD4p
	Mishra, Yogeshwar N- OTMD5p
С	Mohanty, Samarendra K-OTMD5p
Cardenas, Nelson-OTMD5p	1
Chang, Christopher J-OTuD3	0
Choi, Samuel-OTMD4p	Oeder, Andreas-OTTuC2p
D	P
Daoudi, Khalid-OTuD1	Poh, Caherine-BTuD3
Dickinson, Bryan C-OTuD3	
Drezek, Rebekah-OTuD2	R
Durham, Scott-BTuD3	Ratan, Rajiv R-OTuD3
	Ren, Qiushi- BTuD2
F	Rivera, David Rudy-OTuD3
Follen, Michele-BTuD3	Rosin, Miriam-BTuD3
	•
G	S
G Guo, Hengchang- OTuD3	S Sasaki, Osami-OTMD4p
	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4
Guo, Hengchang-OTuD3	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p
Guo, Hengchang- OTuD3 H Hadi, Masood-OTuD4	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt- OTuD1
Guo, Hengchang- OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt- OTuD1 Stoebenau, Sebastian-OTTuC2p
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt- OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5
Guo, Hengchang- OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt- OTuD1 Stoebenau, Sebastian-OTTuC2p
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt- OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5
Guo, Hengchang- OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3 Hoffnagle, John-BTuD5	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt- OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5 Suzuki, Takamasa- OTMD4p
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3 Hoffnagle, John-BTuD5 J Jacob, James-BTuD5	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt-OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5 Suzuki, Takamasa-OTMD4p T Timlin, Jerilyn-OTuD4
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3 Hoffnagle, John-BTuD5 J Jacob, James-BTuD5 K	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt-OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5 Suzuki, Takamasa-OTMD4p T Timlin, Jerilyn-OTuD4
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3 Hoffnagle, John-BTuD5 J Jacob, James-BTuD5	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt- OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5 Suzuki, Takamasa- OTMD4p T Timlin, Jerilyn-OTuD4
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3 Hoffnagle, John-BTuD5 J Jacob, James-BTuD5 K	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt-OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5 Suzuki, Takamasa-OTMD4p T Timlin, Jerilyn-OTuD4
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3 Hoffnagle, John-BTuD5 J Jacob, James-BTuD5 K Kobat, Demirhan-OTuD3	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt-OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5 Suzuki, Takamasa-OTMD4p T Timlin, Jerilyn-OTuD4 X Xu, Chris-OTuD3
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3 Hoffnagle, John-BTuD5 J Jacob, James-BTuD5 K Kobat, Demirhan-OTuD3 L Lam, Sylvia F-BTuD3	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt-OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5 Suzuki, Takamasa-OTMD4p T Timlin, Jerilyn-OTuD4 X Xu, Chris-OTuD3
Guo, Hengchang-OTuD3 H Hadi, Masood-OTuD4 Haskew-Layton, Renee-OTuD3 Howard, Scott-OTuD3 Hoffnagle, John-BTuD5 J Jacob, James-BTuD5 K Kobat, Demirhan-OTuD3	Sasaki, Osami-OTMD4p Savran, Cagri A-BTuD4 Sinzinger, Stefan-OTTuC2p Steenbergen, Wiendelt-OTuD1 Stoebenau, Sebastian-OTTuC2p Sullivan, William-BTuD5 Suzuki, Takamasa-OTMD4p T Timlin, Jerilyn-OTuD4 X Xu, Chris-OTuD3

Zhang, Lewei-BTuD3

2011 OSA OPTICS & PHOTONICS CONGRESS

Optics in the Life Sciences

Bio-Optics: Design and Application (BODA)

Novel Techniques in Microscopy (NTM)

Optical Molecular Probes, Imaging and Drug Delivery (OMP)

Optical Trapping Applications (OTA)



2010 Massachusetts Ave., NW Washington, DC 20036 USA

www.osa.org/meetings